

Perfect Harmony II

Suitland Road
Suitland, MD

1 Inspection Visit Since 2023 · 3 Findings

Most recent inspection: Oct 21, 2025

● 3 Important

Across 1 inspection since 2023, the issues cited most often were LS Did Not Observe Current Staffing Patterns in Each Room. (1), LS Observed That OCC Was Not Notified of New Staff Within 5 Working Days. Correction Was Made. (1), and LS Observed That There Was No Hot Water in the Bathrooms in Room B and C. Corrected. Both Rooms Now Have Hot Running Water. (1). None of the 3 findings were critical.

Inspection Visits

Oct 12, 2023 3 Findings ● 3 Important

● **LS Did Not Observe Current Staffing Patterns in Each Room.**

13A.16.03.05B

● **LS Observed That OCC Was Not Notified of New Staff Within 5 Working Days. Correction Was Made.**

13A.16.03.06A(1)

● **LS Observed That There Was No Hot Water in the Bathrooms in Room B and C. Corrected. Both Rooms Now Have Hot Running Water.**

13A.16.05.07A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.