

Blessed DayCare

Clematis Court
Owings Mills, MD

1 Inspection Visit Since 2026 - 2 Findings

Most recent inspection: Jan 23, 2026

● 2 Important

Across 1 inspection since 2026, the issues cited most often were The LS Observed That the Provider's Smoke Detector Kept Chirping During the Inspection Indicating That It Needs a Battery or It Isn't Working. (1) and The Provider's Outside Area Was Out of Compliance. The LS Observed a Broken Play House, and a Gate and Other Items That Need to Be Removed, and the Area Set Up to Allow the Children to Play and Explore. (1). None of the 2 findings were critical.

Inspection Visits

Jan 23, 2026 2 Findings ● 2 Important

- **The LS Observed That the Provider's Smoke Detector Kept Chirping During the Inspection Indicating That It Needs a Battery or It Isn't Working.**

13A.15.05.01A

- **The Provider's Outside Area Was Out of Compliance. The LS Observed a Broken Play House, and a Gate and Other Items That Need to Be Removed, and the Area Set Up to Allow the Children to Play and Explore.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.