

Thurmont Child Care Inc.

Tippin Drive
Thurmont, MD

3 Inspection Visits Since 2024 · 7 Findings

Most recent inspection: Feb 18, 2026

● 7 Important

Across 3 inspections since 2024, the issues cited most often were At the Time of Inspection, LS Was Approaching One of the Infant Classrooms, When the Lead Teacher Walked Behind LS and Reentered the Room. Only an Aide Had Been Present Alone in the Room with Three Infants During Nap Time. LS Was Shown a Substitute Log and Lead Teacher Explained That the Aide Was (1), At the Time of Inspection, LS Measured the Water Temperature at Over 120 Degrees Fahrenheit. Director Stated This Was Due to a New Water Heater. Facility Should Adjust the Water Temperature and Submit a Statement of Correction to LS. (1), and At the Time of Inspection, Facility Did Not Have a Substitute Log for August 7, 2024. Facility Stated That Morgan Kock Was Substituting for Chelsea Gelwicks, While She Was Attending the Inspection at Thurmont Primary School. Facility Is to Submit a Statement of Understanding Regarding the Maintena (1). None of the 7 findings were critical.

Inspection Visits

Aug 4, 2025 1 Finding ● 1 Important

- **At the Time of Inspection, LS Was Approaching One of the Infant Classrooms, When the Lead Teacher Walked Behind LS and Reentered the Room. Only an Aide Had Been Present Alone in the Room with Three Infants During Nap Time. LS Was Shown a Substitute Log and Lead Teacher Explained That the Aide Was**

13A.16.06.13B

Mar 18, 2025 1 Finding ● 1 Important

- **At the Time of Inspection, LS Measured the Water Temperature at Over 120 Degrees Fahrenheit. Director Stated This Was Due to a New Water Heater. Facility Should Adjust the Water Temperature and Submit a Statement of Correction to LS.**

13A.16.05.07A

Aug 8, 2024 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of Inspection, Facility Did Not Have a Substitute Log for August 7, 2024. Facility Stated That Morgan Kock Was Substituting for Chelsea Gelwicks, While She Was Attending the Inspection at Thurmont Primary School. Facility Is to Submit a Statement of Understanding Regarding the Maintena**
13A.16.03.05E
- **The Facility Did Not Contact Child Protective Services When It Was Realized That the Child Had Eloped.- The Facility First Notified OCC, and the LS Reached Out to the Local Protective Services Unit. LS Had Informed the Operator When Notified That CPS Should Also Be Called in This Situation. LS Ask**
13A.16.07.02A(2)
- **The Facility Failed to Ensure the Safety and Security of Each Child in the Group, as a Child Was Able to Elope and Go Unnoticed for Several Minutes. LS Asked the Facility for a Corrective Action Plan for How This Situation Can Be Prevented in the Future, and to Ensure the Safety and Security of Eac**
13A.16.07.06A
- **The Facility Failed to Ensure That the Child Received Adequate Supervision and Care, as the Child Was Able to Elope and Go Unnoticed for Several Minutes. LS Asked the Facility for a Corrective Action Plan for How This Situation Can Be Prevented in the Future, and for How Appropriate Supervision And**
13A.16.08.01A(2)(b)
- **The Facility Failed to Ensure That Each Staff Member Providing Care to a Child Was Prepared to Provide Appropriate Individualized Care, as a Child Was Able to Elope and Go Unnoticed for Several Minutes. LS Asked the Facility for a Corrective Action Plan for How This Situation Can Be Prevented in Th**
13A.16.08.01B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.