

Kid City

Colonial Way
Rising Sun, MD

2 Inspection Visits Since 2024 · 11 Findings

Most recent inspection: Aug 4, 2025

● 11 Important

Across 2 inspections since 2024, the issues cited most often were Four Children Emergency Information Form Did Not Have an Emergency Contact Person. Correct Immediately.. (1), Temperature of the Refrigerator Registered at 44 Degrees. Correct Immediately. (1), and Temperature of the Refrigerator Registered at 44 Degrees. Correct Immediately. (1). None of the 11 findings were critical.

Inspection Visits

Aug 4, 2025 4 Findings ● 4 Important

● **Four Children Emergency Information Form Did Not Have an Emergency Contact Person. Correct Immediately..**

13A.16.03.04G

● **Temperature of the Refrigerator Registered at 44 Degrees. Correct Immediately.**

13A.16.12.04F(3)

● **Temperature of the Refrigerator Registered at 44 Degrees. Correct Immediately.**

13A.16.12.05C(2)

● **Freezer Section of the Refrigerator Was Without a Thermometer. Correct Immediately.**

13A.16.12.05D

Jul 18, 2024 7 Findings ● 7 Important

● **Ls Observed That Staffing Patterns Were Not Up to Date**

13A.16.03.05B

● **Director Stated That Aides Were Subbing but Director Did Not Have a Sub Log or Documentation**

13A.16.03.05E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Ls Observed That a Aide Let Ls in the Building Leaving 10 Preschooler Unattended. Ls Observed That 1 Aide with 10 Preschool Children and 1 Aide with 10 School Age Children. During the Inspection 1 Aide Left Another Aide with 20 Children by Herself**
13A.16.08.01A(2)(a)
- **LS Observed 1 Aide with 10 Preschool and 1 Aide with 10 School Age Children and No Qualified Teacher.**
13A.16.08.02B
- **Ls Observed That 1 Aide with 10 Preschool Children and 1 Aide with 10 School Age No Qualified Teacher in the Building**
13A.16.08.03A
- **Ls Observed Group of 20 Children, 10 Preschooler and 10 School Age Children with Tow Aides and No Qualified Teacher**
13A.16.08.03D(3)
- **LS Observed No Emergency Escape Route Posted in the School Age Room**
13A.16.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.