

Leap Child Care Center

Turkey Point Road
North East, MD

2 Inspection Visits Since 2023 · 10 Findings

Most recent inspection: Jul 10, 2025

● 10 Important

Across 2 inspections since 2023, the issues cited most often were At the Time of the Inspection Medication for (NS) Does Not Have Signature From Health Practitioner. (2), At the Time of the Inspection, Several Children Were Missing Physician Information on the Emergency Forms. One Child Were Missing Parent Signature. (1), and At the Time of the Inspection, One Teacher Was Missing Her 12 Hours of Required Training. (1). None of the 10 findings were critical.

Inspection Visits

Jul 10, 2025 5 Findings ● 5 Important

- **At the Time of the Inspection, Several Children Were Missing Physician Information on the Emergency Forms. One Child Were Missing Parent Signature.**

13A.16.03.04C

- **At the Time of the Inspection, One Teacher Was Missing Her 12 Hours of Required Training.**

13A.16.06.09C

- **At the Time of the Inspection, a Barrier Was Missing in the 4's Room to Prevent Access to the Storage Area That Has Supplies and Staff Personal Belongings. Director Put Barrier in Place, Non Compliance Corrected.**

13A.16.10.04A

- **At the Time of the Inspection, Cleaning Supplies Were Stored on Shelf Above Food and Food Service Supplies.**

13A.16.10.04C

- **At the Time of the Inspection, Single Service Cups Were Stored in a Classroom Drawer and Not in a Container to Protect From Contamination. Teacher Immediately Put the Cups Into a Sealed Ziploc Bag, Non Compliance Corrected.**

13A.16.12.04G

Jun 8, 2023 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of the Inspection One Teacher (In the 4's Class) Was Left Alone with 14 Children in the Classroom While Aide Took a Child to the Bathroom. Director Corrected Immediately, Staff Took 5 Children with Her to the Bathroom to Keep the Room in Ratio.**
13A.16.08.01A(2)(b)
- **At the Time of the Inspection One Teacher (In the 4's Class) Was Left Alone with 14 Children in the Classroom While Aide Took a Child to the Bathroom. Director Corrected Immediately, Staff Took 5 Children with Her to the Bathroom to Keep the Room in Ratio.**
13A.16.08.03C(2)
- **At the Time of the Inspection Medication for (NS) Does Not Have Signature From Health Practitioner.**
13A.16.11.04A(1)(b)
- **The Pharmacy Label and Medication Name on the Medication Administration Form Did Not Match for (RS, BL)**
13A.16.11.04A(3)
- **At the Time of the Inspection, the Refrigerator Temperature Was 44 Degrees.**
13A.16.12.04F(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.