

Alexa Coleman

Washington Boulevard
Glen Burnie, MD

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Jul 9, 2025

● 3 Important

Across 2 inspections since 2023, the issues cited most often were Ls Observed the Drawer to the Left of the Kitchen Has a Safety Latch However It Is Worn Down and Not Latching as Intended. The Drawer Contains Large Knives and a Pair of Scissors. LS Observed an Additional Pair of Scissors on the Kitchen Counter. LS Observed Wall Cabinet Closest to the Entrance to T (1), Specialist Observes Three Children Files Missing Lead Screening. (1), and Specialist Observed Provider's Pool Missing an Alarm in the Pool and on the Gate. (1). None of the 3 findings were critical.

Inspection Visits

Jul 9, 2025 1 Finding ● 1 Important

- **Ls Observed the Drawer to the Left of the Kitchen Has a Safety Latch However It Is Worn Down and Not Latching as Intended. The Drawer Contains Large Knives and a Pair of Scissors. LS Observed an Additional Pair of Scissors on the Kitchen Counter. LS Observed Wall Cabinet Closest to the Entrance to T**

13A.15.10.02

Aug 29, 2023 2 Findings ● 2 Important

- **Specialist Observes Three Children Files Missing Lead Screening.**

13A.15.03.04C

- **Specialist Observed Provider's Pool Missing an Alarm in the Pool and on the Gate.**

13A.15.05.05C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.