

Renee Willey

Brannocks Neck Road
Cambridge, MD

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Oct 15, 2025

3 Important

Across 2 inspections since 2023, the issues cited most often were Provider Did Not Send the Required Continuing Registration Documentation Back to OCC by the Requested Date. (1), There Was a Gasoline Container Sitting on the Ground Next to Gate of Playground Area. There Was Also a Lawnmower Near the Gate of the Playground Area. LS Saw Several Toys That Were Broken That Could Injure the Children (Broken Cup, Doll House, Bikes, and Infant Play Gym). (1), and The Provider Needs to Have a Few Families Update Emergency Form for Their Child. (1). None of the 3 findings were critical.

Inspection Visits

Oct 11, 2024 2 Findings 2 Important

Provider Did Not Send the Required Continuing Registration Documentation Back to OCC by the Requested Date.

13A.15.02.03B(2)

There Was a Gasoline Container Sitting on the Ground Next to Gate of Playground Area. There Was Also a Lawnmower Near the Gate of the Playground Area. LS Saw Several Toys That Were Broken That Could Injure the Children (Broken Cup, Doll House, Bikes, and Infant Play Gym).

13A.15.05.05A

Sep 21, 2023 1 Finding 1 Important

The Provider Needs to Have a Few Families Update Emergency Form for Their Child.

13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.