

Yuliya Cheremoshnyuk

Carla Road
Pikesville, MD

3 Inspection Visits Since 2024 - 10 Findings

Most recent inspection: Jan 23, 2026

● 10 Important

Across 3 inspections since 2024, the issues cited most often were The Provider's First Aid Kit Is Accessible. However, She Is Missing the Following Items That MSDE Requires: Antiseptic Wipes, Gauze Pads, Large Gauze Pads, Fragrance Free Soap, and a Whistle. (2), Emergency Cards Were Missing the Annual Update. (2), and Provider Did Not Have Continued Training for 2024. Provider Submitted 12 Hours for 2023. Provider Was Given the Professional Development Plan and Informed to Complete the Plan, Attach Certificates and Submit to OCC by the End of February. (1). None of the 10 findings were critical.

Inspection Visits

Jan 23, 2026 1 Finding ● 1 Important

- **The Provider's First Aid Kit Is Accessible. However, She Is Missing the Following Items That MSDE Requires: Antiseptic Wipes, Gauze Pads, Large Gauze Pads, Fragrance Free Soap, and a Whistle.**
13A.15.10.01H(1)

Jan 23, 2025 2 Findings ● 2 Important

- **Emergency Cards Were Missing the Annual Update.**
13A.15.03.04A(3)
- **Provider Did Not Have Continued Training for 2024. Provider Submitted 12 Hours for 2023. Provider Was Given the Professional Development Plan and Informed to Complete the Plan, Attach Certificates and Submit to OCC by the End of February.**
13A.15.06.02B(3)

Jan 22, 2024 7 Findings ● 7 Important

- **The LS Observed That the Provider Doesn't Have an Attendance Record.**
13A.15.03.03B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The LS Observed That Children's Emergency Forms Needed to Be Updated Annually. The Provider Will Have Parent's Update and Will Send the LS a Picture of the Correction.**

13A.15.03.04A(3)

- **The LS Observed That a Few Students Were Missing Lead Screening or Immunization Records. The Provider Will Email the LS the Forms Upon Completion.**

13A.15.03.04C

- **The LS Observed That the Kitchen Is Open to the Playroom. The LS Advised the Provider to Get a Gate. At This Time, the Provider Uses a Cubby to Block the Entrance to the Kitchen.**

13A.15.05.04A(3)

- **The LS Observed That a Panel in the Provider's Gate Blew Down Due to the Weather. The Provider Will Get the Panel Fixed; Per Provider the Children Haven't Been in That Area Missing the Panel.**

13A.15.05.05B

- **The LS Observed That a Child That Is 26 Months Is Sleeping in a Crib. per Parent's Verbal Request. The LS Advised That the Parent Needs to Put That in Writing.**

13A.15.05.06C(2)

- **The LS Observed That the Provider Is Missing Two Items From the First Aid Kit: Fragrance Free Soap and Hypo-allergenic Tape. The Provider Will Purchase These Two Items and Will Take a Picture and Send to the LS.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.