

## Nakia Jackson

North Belnord Avenue  
Baltimore, MD

### 3 Inspection Visits Since 2023 - 9 Findings

Most recent inspection: Jun 3, 2025

● 9 Important

Across 3 inspections since 2023, the issues cited most often were LS Did Not Observe One Child's Emergency Form. (3), LS Did Not Observe Three Children's Part 1 Health Inventory. LS Did Not Observe One Child's Lead Results and One Child's Health Inventory Part II . (1), and LS Did Not Observe 2 Flexible Gauze Rolls, Liquid Fragrance Free Soap, and a Whistle in the First Aid Kit. (1). None of the 9 findings were critical.

### Inspection Visits

**Jun 3, 2025** 4 Findings ● 4 Important

● **LS Did Not Observe One Child's Emergency Form.**  
13A.15.03.04A(3)

● **LS Did Not Observe Three Children's Part 1 Health Inventory. LS Did Not Observe One Child's Lead Results and One Child's Health Inventory Part II .**  
13A.15.03.04C

● **LS Did Not Observe 2 Flexible Gauze Rolls, Liquid Fragrance Free Soap, and a Whistle in the First Aid Kit.**  
13A.15.10.01H(1)

● **LS Observed a Refrigerator That Was Not Cleaned.**  
13A.15.12.02A

**Jun 6, 2024** 1 Finding ● 1 Important

● **LS Observed One Emergency Form Without Physician Information, One Emergency Form That Was Not Updated and One Emergency Form Missing.**  
13A.15.03.04A(3)

**Jun 14, 2023** 4 Findings ● 4 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed 3 Out 4 Outdated Emergency Forms (SS, DB, DL)**  
13A.15.03.04A(3)
- **LS Observed an Uncovered Grill in the Backyard.**  
13A.15.05.05A
- **LS Observed Children Watching Television and a Tablet with Cartoons on It. - Corrected on Site.**  
13A.15.09.01B(3)
- **LS Observed Alcoholic Beverage in the Refrigerator and Potentially Harmful Items in the Bathroom in Reach of Children ( Febreze and Other Harmful Items) - Corrected on Site**  
13A.15.10.02

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.