

Wee Care Best - Finksburg

Baltimore Blvd
Finksburg, MD

3 Inspection Visits Since 2025 · 12 Findings

Most recent inspection: Feb 24, 2026

● 12 Important

Across 3 inspections since 2025, the issues cited most often were There Was a Staff Member That Was Using Her Phone in the Classroom While in Ratio and Will Leave the Classroom While Another Staff Member Is Helping Children in the Bathroom. (3), There Is a Staff Member That Will Use Her Phone While in Ratio with the Children and Has Left the Classroom While the Other Staff Member Is Assisting Children in the Classroom. (2), and There Was a Staff Member That Yells at the Children in Her Classroom. (1). None of the 12 findings were critical.

Inspection Visits

Feb 24, 2026 5 Findings ● 5 Important

● **There Was a Staff Member That Yells at the Children in Her Classroom.**

13A.16.07.03A(1)

● **There Is a Staff Member That Will Use Her Phone While in Ratio with the Children and Has Left the Classroom While the Other Staff Member Is Assisting Children in the Classroom.**

13A.16.07.06A

● **There Was a Staff Member That Was Using Her Phone in the Classroom While in Ratio and Will Leave the Classroom While Another Staff Member Is Helping Children in the Bathroom.**

13A.16.08.01A(2)(b)

● **There Was a Staff Member That Yells at the Children in Her Care**

13A.16.08.01A(2)(b)

● **Children Have Been Seen Throwing Toys Across the Classroom and Children Are Climbing on Tables in the Classroom.**

13A.16.10.03A

Aug 18, 2025 6 Findings ● 6 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **A New Hire Was Employed for Four Months and the Program and Was on Site at Time of Inspection in Room 10. Program Gave Specialist a Personnel Form and Notarized Release at Time of Inspection.**

13A.16.03.06A(1)

- **The Classroom Had a Laminator in the Infant Room Near the Diapering Table. Two Teachers Were Assisting with Diaper Changing and the Other Infant Crawled Over to the Diaper Table and Pulled the Cord of the Laminator and It Hit the Infant on the Head.. The Infant Teacher Was Not Aware That the Laminat**

13A.16.03.06D(1)

- **A Substitute Was in Room 10 with a Qualified Teacher. The Office of Child Care Did Not Clear the Individual. Program Gave Specialist a Notarized Release at Time of Inspection.**

13A.16.07.06A

- **The Classroom Had a Laminator in the Infant Room Near the Diapering Table. Two Teachers Were Assisting with Diaper Changing and the Other Infant Crawled Over to the Diaper Table and Pulled the Cord of the Laminator and It Hit the Infant on the Head.. At Time of Inspection, Infant 1 Had 8 Infants Wit**

13A.16.08.01A(2)(b)

- **At Time of Inspection, Room 1 Had 8 Infants with a Teacher and an Aide. Room 7 Had 9 Toddlers with a Teacher and an Aide. Program Was in Staff Child Ratio During the Inspection.**

13A.16.08.03C(1)

- **The Infant Room Had a Laminator on the Shelf Next to Changing Table and the Cord Was Accessible to the Infants. Laminator Was Not in Classroom at Time of Inspection. Please Submit a Correction Plan to the Office of Child Care.**

13A.16.10.04A

Jul 15, 2025 1 Finding ● 1 Important

- **Five Children Did Not Have Lead Screenings in Their File Please Submit Copies of Lead Screenings to the Office of Child Care.**

13A.16.03.04E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.