

Miandabu Mpoy

Damascus Hills Lane
Damascus, MD

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Jun 17, 2025

● 3 Important

Across 2 inspections since 2023, the issues cited most often were At the Time of Inspection, Two Children Were Missing Evidence of Age-appropriate Lead Testing. One Child Was Missing a Health Inventory on File. Provider Is Asked to Obtain These Forms and Submit Copies to LS. (2) and At the Time of Inspection, One Child Was Missing an Annual Update. Provider to Have Emergency Form Updated and Submit Evidence to LS. (1). None of the 3 findings were critical.

Inspection Visits

Jun 17, 2025 1 Finding ● 1 Important

- **At the Time of Inspection, Two Children Were Missing Evidence of Age-appropriate Lead Testing. One Child Was Missing a Health Inventory on File. Provider Is Asked to Obtain These Forms and Submit Copies to LS.**

13A.15.03.04C

Jun 22, 2023 2 Findings ● 2 Important

- **At the Time of Inspection, One Child Was Missing an Annual Update. Provider to Have Emergency Form Updated and Submit Evidence to LS.**

13A.15.03.04A(3)

- **At the Time of Inspection, Three Children Were Missing Documentation of Age Appropriate Lead Testing. Provider Is to Attain Needed Documentation and Submit Evidence to LS.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.