

Yvonne Rodgers

Pickett Drive
Morningside, MD

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jun 9, 2025

● 4 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed That One (1) Child Did Not Have a Completed Health Assessment. (1), LS Observed That One (1) Child Did Not Have a Completed Lead Certificate. (1), and LS Observed the Rear Bedroom/office Being Used for Nap Time. This Is a Restricted Area. (1). None of the 4 findings were critical.

Inspection Visits

Jun 9, 2025 2 Findings ● 2 Important

● **LS Observed That One (1) Child Did Not Have a Completed Health Assessment.**

13A.15.03.02A

● **LS Observed That One (1) Child Did Not Have a Completed Lead Certificate.**

13A.15.03.02B

May 9, 2024 2 Findings ● 2 Important

● **LS Observed the Rear Bedroom/office Being Used for Nap Time. This Is a Restricted Area.**

13A.15.05.04A(1)

● **LS Observed That the Grill with a Propane Canister Does Not Have a Sufficient Barrier Around the Front.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.