

Sanabil Early Learning

Deerpath Road
Elkridge, MD

1 Inspection Visit Since 2026 · 6 Findings

Most recent inspection: Jan 29, 2026

● 6 Important

Across 1 inspection since 2026, the issues cited most often were LS Did Not Observe Staffing Patterns Posted in Room 5. LS Also Observed Attendance Records Indicating That One Staff Is in Room 4 Daily However This Staff Is Not Listed on the Staffing Pattern for This Room. (1), Children Were Placed in Room 2, Which Is Not Approved, Last Week When the Heat Was Not Working Properly. (1), and LS Observed 3 Classrooms (The Multipurpose Room and Room 5 and Room 7 That Were Below the Required Temperature of 65 Degrees F. (1). None of the 6 findings were critical.

Inspection Visits

Jan 29, 2026 6 Findings ● 6 Important

- **LS Did Not Observe Staffing Patterns Posted in Room 5. LS Also Observed Attendance Records Indicating That One Staff Is in Room 4 Daily However This Staff Is Not Listed on the Staffing Pattern for This Room.**
13A.16.03.05B
- **Children Were Placed in Room 2, Which Is Not Approved, Last Week When the Heat Was Not Working Properly.**
13A.16.03.07A
- **LS Observed 3 Classrooms (The Multipurpose Room and Room 5 and Room 7 That Were Below the Required Temperature of 65 Degrees F.**
13A.16.05.06
- **LS Observed 2 Aides in Charge of 7 Children.**
13A.16.08.01A(2)(a)
- **LS Observed One Classroom with 2 Aides with 7 Children.**
13A.16.08.02B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Potentially Harmful Items (Clorox Wiped and Hand Sanitizer)in One Classroom. LS Informed the Staff Member That This Needed to Be Moved and That the Items Are Not Allowed in the Child Care Space. These Items Were Removed During the Inspection.**

13A.16.10.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.