

## Tisha Addo

Gabes Place  
Hyattsville, MD

### 3 Inspection Visits Since 2025 · 9 Findings

Most recent inspection: Apr 14, 2026

● 9 Important

Across 3 inspections since 2025, the issues cited most often were Licensing Specialist Observed Three Children Enrolled in Care Needing Evidence of a Completed Health Assessment. (1), Licensing Specialist Observed Six Children Enrolled in Care Needing Evidence of Appropriate Lead Test. (1), and The Provider Stated That She Did Not Know She Had to Notify the Office of the Pending Criminal Charges for a Resident. (1). None of the 9 findings were critical.

### Inspection Visits

**Apr 14, 2026** 2 Findings ● 2 Important

- **Licensing Specialist Observed Three Children Enrolled in Care Needing Evidence of a Completed Health Assessment.**

13A.15.03.02A

- **Licensing Specialist Observed Six Children Enrolled in Care Needing Evidence of Appropriate Lead Test.**

13A.15.03.02B

**May 13, 2025** 1 Finding ● 1 Important

- **The Provider Stated That She Did Not Know She Had to Notify the Office of the Pending Criminal Charges for a Resident.**

13A.15.03.05C(2)(b)

**Apr 11, 2025** 6 Findings ● 6 Important

- **Licensing Specialist Observed Four Children's Files Missing Completed Emergency Forms.**

13A.15.03.04A(1)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Did Not Observe a File for 1 Child Consisting of All Required Documentation: Emergency Form, Health Assessment, Immunizations, or Evidence of Blood Lead Screening.**  
13A.15.03.04C
- **Licensing Specialist Observed Four Children Under the Age of Two Present at the Time of the Inspection.**  
13A.15.04.03B
- **Licensing Specialist Observed Three Uncovered Electrical Sockets Accessible to Children.**  
13A.15.05.04B(1)
- **Licensing Specialist Observed the Provider Go Upstairs. The Provider Was Not in Sight or Sound of the Children.**  
13A.15.08.01B(3)
- **Licensing Specialist Observed Refrigerator Used for Milk Temperature at About 45 Degrees Fahrenheit.**  
13A.15.12.02B

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.