

Evergreen Early Learning Center

Old Annapolis Road
Columbia, MD

2 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Nov 4, 2025

● 5 Important

Across 2 inspections since 2023, the issues cited most often were In the Hallway Near the 3rd Classroom Is an Outlet That Protrudes From the Wall and Has a Hole That Has Exposed Wiring. One of the Children's Toilets Was Missing a Lid for the Back of the Toilet. (1), LS Was Only Able to Review One of the Staff Orientations. Director States That They Have Only Asked for the Recently Hired Staff at Previous Inspections So the Orientations for Older Staff Are Not Available for Review. (1), and LS Observed Cleaning Solutions (Clorox and Ajax) in Both Bathrooms, Cough Drops on Mini Refrigerator in One Classroom. Corrected at the Time of Inspection. (1). None of the 5 findings were critical.

Inspection Visits

Nov 4, 2025 4 Findings ● 4 Important

● **In the Hallway Near the 3rd Classroom Is an Outlet That Protrudes From the Wall and Has a Hole That Has Exposed Wiring. One of the Children's Toilets Was Missing a Lid for the Back of the Toilet.**

13A.17.05.01A(2)

● **LS Was Only Able to Review One of the Staff Orientations. Director States That They Have Only Asked for the Recently Hired Staff at Previous Inspections So the Orientations for Older Staff Are Not Available for Review.**

13A.17.06.02

● **LS Observed Cleaning Solutions (Clorox and Ajax) in Both Bathrooms, Cough Drops on Mini Refrigerator in One Classroom. Corrected at the Time of Inspection.**

13A.17.10.04A

● **LS Observed Snacks/lunches Stored on Top of Cubbies. Refrigerators Are Available in Classrooms for the Perishable Items but Some Items Were Not Moved to the Refrigerator.**

13A.17.12.04F(3)

Oct 3, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Inspection, the LS Saw Four Children's Emergency Forms That Were Missing Physician Information and One of Those Also Was Missing the Name of a Pick-up Person.**

13A.17.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.