

Sumattie Deonarain

Armistead Rd
Silver Spring, MD

1 Inspection Visit Since 2023 - 5 Findings

Most recent inspection: Mar 31, 2026

● 5 Important

Across 1 inspection since 2023, the issues cited most often were At Time of Inspection, Licensing Specialist Observed Multiple Children Missing Appropriate Lead Screenings. (1), At Time of Inspection, Licensing Specialist Did Not Observe the Provider Washing the Two Children's Hands After Playing Outdoors. (1), and At Time of Inspection, Licensing Specialist Observed Sharp Gardening Tools in the Outdoor Area That Is Dangerous to the Health and Safety of Children in Care. (1). None of the 5 findings were critical.

Inspection Visits

Jun 26, 2023 5 Findings ● 5 Important

- **At Time of Inspection, Licensing Specialist Observed Multiple Children Missing Appropriate Lead Screenings.**
13A.15.03.04C
- **At Time of Inspection, Licensing Specialist Did Not Observe the Provider Washing the Two Children's Hands After Playing Outdoors.**
13A.15.05.03D(2)
- **At Time of Inspection, Licensing Specialist Observed Sharp Gardening Tools in the Outdoor Area That Is Dangerous to the Health and Safety of Children in Care.**
13A.15.05.05A
- **When Licensing Specialist Arrived to the Home, the Provider and Two Children Were Outside. The Provider Was Off to the Side of the Home Water Her Plants While the Children Were Playing by Themselves on the Swings. When Knocking on the Fence in Attempt to Get the Providers Attention, the Two Children**
13A.15.08.01B(3)
- **At Time of Inspection, Licensing Specialist Observed Bleach Wipes Accessible to Children in the Bathroom Located in the Child Care Area.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.