

## Relay Children's Center

South Rolling Road  
Baltimore, MD

### 2 Inspection Visits Since 2024 - 6 Findings

Most recent inspection: Feb 11, 2026

● 6 Important

Across 2 inspections since 2024, the issues cited most often were There Are Three Children Who Are Missing Physician Information on the Emergency Cards and One Child Is Missing the Phone Numbers for the Emergency Contacts Listed on the Emergency Cards. (2), In the 2 Year Old Room and 3 Year Old Room There Are Areas of the Floor That the Paint Is Peeling Off/rubbing Off. (1), and There Is a Piece of Equipment That Is a Metal Tripod Structure That Is Tipped Over So Children Will Not Use It, However It Is in the Playground Area Accessible to the Children. (1). None of the 6 findings were critical.

### Inspection Visits

**Feb 5, 2025** 4 Findings ● 4 Important

● **There Are Three Children Who Are Missing Physician Information on the Emergency Cards and One Child Is Missing the Phone Numbers for the Emergency Contacts Listed on the Emergency Cards.**

13A.16.03.04C

● **In the 2 Year Old Room and 3 Year Old Room There Are Areas of the Floor That the Paint Is Peeling Off/rubbing Off.**

13A.16.05.01A(1)

● **There Is a Piece of Equipment That Is a Metal Tripod Structure That Is Tipped Over So Children Will Not Use It, However It Is in the Playground Area Accessible to the Children.**

13A.16.05.12D

● **The Bench in the Back of the Playground Is Splintering on the Edge Causes Sharp Edges That Could Be Harmful to Children Who Are Sitting on It. The Perimeter Fence on the Left Side Has a Pole and Metal Fencing Part That Are Broken and Need Fixing.**

13A.16.05.12E

**Feb 23, 2024** 2 Findings ● 2 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LST Observed One Child's Emergency Form Missing the Child's Physician's Information.**

13A.16.03.04C

- **LST Observed One Child Missing Lead Test Screening/report.**

13A.16.03.04E

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.