

Tammy Vest

Willow Road
Baltimore, MD

2 Inspection Visits Since 2024 - 10 Findings

Most recent inspection: Jul 30, 2025

● 10 Important

Across 2 inspections since 2024, the issues cited most often were After Diapering the Provider Did Not Wash Her Hands. (2), Provider Informed Licensing Specialist She Has Not Performed Emergency Drills. Correct Immediately. (1), and Hot Water Temperature Measured 126 Degrees. Correct Immediately. (1). None of the 10 findings were critical.

Inspection Visits

Jul 30, 2025 3 Findings ● 3 Important

- **Provider Informed Licensing Specialist She Has Not Performed Emergency Drills. Correct Immediately.**
13A.15.03.03F
- **Hot Water Temperature Measured 126 Degrees. Correct Immediately.**
13A.15.05.01E
- **Provider Could Not Locate the Emergency and Disaster Plan. Correct Immediately.**
13A.15.10.01A(1)

Jul 23, 2024 7 Findings ● 7 Important

- **When the Specialist Arrived at the Family Child Care Home There Were 9 Children in Care. Provider Called a Parent and One Child Was Picked Up. The Capacity Was Corrected.**
13A.15.04.03A
- **After Diapering the Provider Did Not Wash Her Hands.**
13A.15.05.03D(1)
- **After Diapering the Provider Did Not Wash the Child's Hands.**
13A.15.05.03D(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of the Inspection, 2 Drawers Had Child Proof Devices but They Were Not Locked. The Drawers Contained Tools and a Lighter.**

13A.15.05.04B(3)

- **At the Time of the Inspection the Provider and Several Children Were Sitting on the Porch Without a Gate at the Top of the Stairs, the Children Were Playing in the Yard Without a Gate at the Bottom of the Stairs. There Are More Than 3 Stairs at the Porch.**

13A.15.05.05A

- **At the Time of the Inspection, the Pack and Play Did Not Have a Crib Sheet. The Sheet Needs to Be Snug Fitting.**

13A.15.05.06A

- **Two Children Went in the Home to Change Clothes After Water Play. One Child Is 11 Years Old and the Other Is 5 Years Old. Provider Had All Children Come Into the Home with Her.**

13A.15.08.01C(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.