

# Humberto Losada

Dennis Ave  
Silver Spring, MD

## 3 Inspection Visits Since 2023 - 11 Findings

Most recent inspection: May 13, 2026

● 11 Important

Across 3 inspections since 2023, the issues cited most often were The Licensing Specialist Observed No Lead Test for a Child in Care. (2), During a Recent Inspection, a Licensing Specialist Identified the Following Items That Require Correction: A Sharp Object Was Observed on the Wall and Needs to Be Removed or Secured. A Gate Is Required for the Steps Leading From the Back of the House to the Outdoor Area. The Shed Was Found Unlocked. (1), and Licensing Specialist Observed an Air Vent Cover That Contained Rust and Peeling Paint. (1). None of the 11 findings were critical.

## Inspection Visits

**May 13, 2026** 2 Findings ● 2 Important

● **The Licensing Specialist Observed No Lead Test for a Child in Care.**

13A.18.03.04E

● **During a Recent Inspection, a Licensing Specialist Identified the Following Items That Require Correction: A Sharp Object Was Observed on the Wall and Needs to Be Removed or Secured. A Gate Is Required for the Steps Leading From the Back of the House to the Outdoor Area. The Shed Was Found Unlocked.**

13A.18.05.12D

**Apr 30, 2024** 3 Findings ● 3 Important

● **Licensing Specialist Observed No Evidence of the Lead Screening for Five Children in Care.**

13A.18.03.04E

● **Licensing Specialist Observed an Air Vent Cover That Contained Rust and Peeling Paint.**

13A.18.05.01B

● **Licensing Specialist Observed No Evidence of a Dated Record of Food Actually Served in the Home on File for at Least 4 Weeks,**

13A.18.12.01I(2)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

**Jun 16, 2023** 6 Findings ■ 6 Important

- **The Provider Did Not Notify the Office of the Ending of Employment of a Staff Member.**  
13A.18.03.06A

---

- **Licensing Specialists Observed Two Potty-chairs in the Bathroom.**  
13A.18.05.08D

---

- **Licensing Specialists Observed a Walker in in the Room Near the Entrance.**  
13A.18.09.05B

---

- **Licensing Specialists Observed No Evidence That the Emergency Numbers Were Posted. The Director Stated That They Took Down to Paint the House Recently.**  
13A.18.10.01C

---

- **Licensing Specialists Observed Uncapped Outlets in the Addition Part of the Home.**  
13A.18.10.04G(2)

---

- **Licensing Specialists Did Not Observe the Children Wash Their Hands Before Eating Breakfast.**  
13A.18.11.03B

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.