

Mariam Williams

Rivers View Court
Columbia, MD

1 Inspection Visit Since 2026 - 3 Findings

Most recent inspection: Feb 12, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were LS Did Not Observe Child Safety Locks on the Door Knobs of Storage Areas That Contain Potentially Hazardous Items. (1), LS Observed Logs and Debris That Will Need to Be Removed. LS Observed a Grill Without a Cover. LS Observed a Propane Tank and Other Items on the Screened in Porch That Must Be Removed. (1), and LS Did Not Observe the Emergency and Disaster Plan. (1). None of the 3 findings were critical.

Inspection Visits

Jan 22, 2026 3 Findings ● 3 Important

● **LS Did Not Observe Child Safety Locks on the Door Knobs of Storage Areas That Contain Potentially Hazardous Items.**

13A.15.05.04B(2)

● **LS Observed Logs and Debris That Will Need to Be Removed. LS Observed a Grill Without a Cover. LS Observed a Propane Tank and Other Items on the Screened in Porch That Must Be Removed.**

13A.15.05.05A

● **LS Did Not Observe the Emergency and Disaster Plan.**

13A.15.10.01A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.