

Tyesha Holmes

Braeside Road
Baltimore, MD

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Mar 11, 2026

● 5 Important

Across 3 inspections since 2023, the issues cited most often were LS Did Not Observe Continued Training for the Provider. (1), LS Observed Cleaning Products Under the Bathroom Sink Without Locks. (1), and LS Observed a Child Missing Annual Update. (1). None of the 5 findings were critical.

Inspection Visits

Mar 11, 2026 2 Findings ● 2 Important

● **LS Did Not Observe Continued Training for the Provider.**

13A.15.06.02B(3)

● **LS Observed Cleaning Products Under the Bathroom Sink Without Locks.**

13A.15.10.02

Dec 19, 2024 2 Findings ● 2 Important

● **LS Observed a Child Missing Annual Update.**

13A.15.03.04A(3)

● **LS Did Not Observe Gloves and Disposable Wash Cloth in First Aid Kit.**

13A.15.10.01H(1)

Dec 14, 2023 1 Finding ● 1 Important

● **LS Observed Gate Missing From the Basement Steps. Provider Will Put the Gate Up and Send a Picture.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.