

Wendy Dingus

Balsam Run
Bel Alton, MD

2 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Sep 18, 2025

● 5 Important

Across 2 inspections since 2023, the issues cited most often were The Licensing Specialist Observed a Variety of Cleaning Products in an Unsecured Cannister Located to the Right Side of the Entrance to the Bathroom. The Cleaning Products Were Relocated and Made Inaccessible to the Children in Care During the Inspection. Going Forward Please Properly Store and Keep (2), Upon Inspection of the Den the Licensing Specialist Observed an Outlet with an Adapter That Has 2 Uncapped Electrical Sockets. Please Forward a Photo to the OCC Displaying That the 2 Electrical Sockets Have Been Capped. (1), and NK (Older Sibling), NK (Younger Sibling), CM, RT, AW, OW, and RH Do Not Have Evidence of Having Had a Lead Blood Test Done at 24 Months of Age. Please Forward Photos to the OCC of the 7 Children's Lead Blood Test Results. (1). None of the 5 findings were critical.

Inspection Visits

Sep 6, 2024 2 Findings ● 2 Important

- Upon Inspection of the Den the Licensing Specialist Observed an Outlet with an Adapter That Has 2 Uncapped Electrical Sockets. Please Forward a Photo to the OCC Displaying That the 2 Electrical Sockets Have Been Capped.

13A.15.05.04B(1)

- The Licensing Specialist Observed a Variety of Cleaning Products in an Unsecured Cannister Located to the Right Side of the Entrance to the Bathroom. The Cleaning Products Were Relocated and Made Inaccessible to the Children in Care During the Inspection. Going Forward Please Properly Store and Keep

13A.15.10.02

Sep 19, 2023 3 Findings ● 3 Important

- NK (Older Sibling), NK (Younger Sibling), CM, RT, AW, OW, and RH Do Not Have Evidence of Having Had a Lead Blood Test Done at 24 Months of Age. Please Forward Photos to the OCC of the 7 Children's Lead Blood Test Results.

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Did Not Have Paper Towels or Soap in Her First Aid Kit. Both of These Items Were Added to the Provider's First Aid Kit During the Inspection.**

13A.15.10.01H(1)

- **The Licensing Specialist Observed an Opened Bag of Cough Drops in the Top Drawer of the Dresser Adjacent to the Bathroom. The Cough Drops Were Relocated and Made Inaccessible to the Child Care Children During the Inspection.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.