

Tiffany Lemmon

Lyndhurst Street
Baltimore, MD

3 Inspection Visits Since 2023 - 13 Findings

Most recent inspection: Aug 29, 2025

● 13 Important

Across 3 inspections since 2023, the issues cited most often were Licensing Specialist Observed a Small Amount of Alcohol in a Bottle Near the Television in the Basement. Provider Is Reminded to Ensure All Potentially Hazardous Items Are Kept Inaccessible to Children Since the Basement Is Approved for Bathroom Use. Corrected During Inspection. The Bottle Was Locke (2), Licensing Specialist Did Not Observe Disaster Drills Completed Within the Past Two Years. Provider Must Send LS a Statement Demonstrating Their Understanding That Disaster Drills Will Be Done and Recorded Twice a Year. (2), and There Was a Child Present That Did Not Have the Necessary Enrollment Paperwork. (1). None of the 13 findings were critical.

Inspection Visits

Aug 29, 2025 4 Findings ● 4 Important

● **There Was a Child Present That Did Not Have the Necessary Enrollment Paperwork.**

13A.15.03.02A

● **The Additional Adult Was Present Who Is Also a Substitute for the Home. The Provider or an Additional Substitute Was Not Present While 4 Children Under Two Were in Care.**

13A.15.04.03C

● **There Were Four Children Under the Age of 2 in the Home with One Cleared Adult Present.**

13A.15.07.07A

● **A Child Was Observed Watching Passive Technology While Eating.**

13A.15.09.01B(5)

Aug 27, 2024 1 Finding ● 1 Important

● **Licensing Specialist Observed a Small Amount of Alcohol in a Bottle Near the Television in the Basement. Provider Is Reminded to Ensure All Potentially Hazardous Items Are Kept Inaccessible to Children Since the Basement Is Approved for Bathroom Use. Corrected During Inspection. The Bottle Was Locke**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Aug 15, 2023 8 Findings ● 8 Important

- **Licensing Specialist Observed Four Child Records Missing Appropriate Evidence of Blood Lead Testing, Four Records Missing Complete Health Inventory IIs, and One Record Missing a Complete Health Inventory I.**
13A.15.03.04C
- **Licensing Specialist Observed Discoloration to Paint on Walls in the Dining Room.**
13A.15.05.01B
- **Licensing Specialist Did Not Observe a Gate Secured at the Bottom of the Second Floor Steps, at the Top of the Basement Steps, nor Where the Dining Room Meets the Kitchen Which Is Off Limits.**
13A.15.05.04B(2)
- **Licensing Specialist Observed Two Red Gasoline Canisters in the Outdoor Play Area.**
13A.15.05.05A
- **Licensing Specialist Observed a Child Under the Age of 12 Months Asleep in a Rocker. Corrected During Inspection. The Additional Adult Placed the Child in Their Crib During the Inspection.**
13A.15.05.06H
- **Licensing Specialist Did Not Observe Disaster Drills Completed Within the Past Two Years. Provider Must Send LS a Statement Demonstrating Their Understanding That Disaster Drills Will Be Done and Recorded Twice a Year.**
13A.15.10.01A(3)
- **Licensing Specialist Did Not Observe the Emergency and Disaster Plan Updated Annually. Corrected During Inspection. Provider Updated the Plan During the Inspection.**
13A.15.10.01A(4)
- **Licensing Specialist Observed Alcohol in the Refrigerator in the Dining Room and Alcohol in the Basement Which Is Now Approved for Bathroom Use by the Fire Department. Corrected During Inspection. Provider Removed All Alcohol and Placed It Outside the Child Care Spaces.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.