

Yenealem Assefa

Quiet Times
Columbia, MD

2 Inspection Visits Since 2024 · 10 Findings

Most recent inspection: May 12, 2025

● 10 Important

Across 2 inspections since 2024, the issues cited most often were LS Reviewed Children's Emergency Forms and Found One Child That Was Missing a Source of Healthcare. (2), Provider Indicated That She May or May Not Have Completed This Training Requirement. (2), and LS Reviewed Children's Files and Found Three Children Who Were Missing the Required Lead Certificates. (1). None of the 10 findings were critical.

Inspection Visits

May 12, 2025 8 Findings ● 8 Important

- **LS Reviewed Children's Files and Found Three Children Who Were Missing the Required Lead Certificates.**
13A.15.03.02B
- **LS Reviewed the Drill Logs and Found That Fire Drills Stopped in March and There Has Been No Emergency Drill Completed in 2025.**
13A.15.03.03F
- **LS Reviewed Children's Emergency Forms and Found One Child That Was Missing a Source of Healthcare.**
13A.15.03.04A(1)
- **LS Reviewed Children's Files and Found Three Children That Were Missing Lead Testing Certificates.**
13A.15.03.04C
- **LS Observed the Outdoor Play Area and Found Deep Cement Cracks That Are Tripping Hazards. Provider Stated That She Only Uses the Front Yard for Play Because It's Safer and Only Takes Them Outside Occasionally Because of Seasonal Allergies.**
13A.15.05.05A
- **Provider Indicated That She May or May Not Have Completed This Training Requirement.**
13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Reviewed the Provider's Training Certificates but the Provider Could Not Produce Any Trainings From 2023-2024, and One Certificate for 6 Hours for 2025.**

13A.15.06.02B(3)

- **Provider Could Not Find a Professional Development Plan for 2023-2025.**

13A.15.06.02C(1)

May 22, 2024 2 Findings ● 2 Important

- **The LS Reviewed 5 Emergency Forms, and None Were Updated for 2024. The Provider Will Have Parents Make Updates or Initial That No Information Has Changed.**

13A.15.03.04A(3)

- **When the LS Came Into the Home, the Television Was On, and the Provider Was in the Kitchen Fixing Food for a Child While the Additional Adult and the Substitute Were in the Room with the Children. The LS Reminded the Provider That Children Under 2 May Not View Any Passive Technology. The Provider W**

13A.15.09.01B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.