

Emelita Windsor

Grande View Avenue
Severn, MD

2 Inspection Visits Since 2024 · 11 Findings

Most recent inspection: Apr 16, 2026

● 11 Important

Across 2 inspections since 2024, the issues cited most often were Provider Missing ER Form for 1 Child Enrolled During Time of Inspection. Please Submit Corrections by 04/23/2026 (2), Multiple Children Are Missing Lead Test. Please Submit Corrections to OCC by 04/23/2026 (2), and Provider Did Not Submit Paperwork to OCC for New Resident (2). None of the 11 findings were critical.

Inspection Visits

Apr 16, 2026 9 Findings ● 9 Important

- **Provider Missing ER Form for 1 Child Enrolled During Time of Inspection. Please Submit Corrections by 04/23/2026**
13A.15.03.04A(1)
- **Provider Could Not Update ER Form Due to Missing the Form During Time of Inspection.. Please Submit Corrections by 04/23/2026**
13A.15.03.04A(3)
- **Multiple Children Are Missing Lead Test. Please Submit Corrections to OCC by 04/23/2026**
13A.15.03.04C
- **Provider Did Not Submit Paperwork to OCC for New Resident**
13A.15.03.05D(1)
- **Provider Did Not Submit Paperwork to OCC for New Resident**
13A.15.03.05D(2)
- **Provider Did Not Submit Paperwork to OCC for New Resident**
13A.15.03.05E
- **No Paper Towels in the Bathroom. Please Submit Corrections to OCC by 04/23/2026**
13A.15.05.03B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Kitchen Scissor Drawer Does Not Have a Latch on Cabinet, Clorox Wipes on Back of the Toilet, Medication on Kitchen Counter. Please Submit Corrections to OCC by 04/23/2026**

13A.15.10.02

- **Medication for a Child Does Not Have Administered Form to Give Medication.**

13A.15.11.04A(1)(a)

May 2, 2024 2 Findings ● 2 Important

- **Child PB Is Missing Lead 2, Child K.E. Is Missing Lead 2, Child C.W. Is Missing Both Lead Testing, Child SC Is Missing Lead 2**

13A.15.03.04C

- **Child's Epi Pen Is Missing Box with Labeled Child's Info.**

13A.15.11.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.