

Hina Khan

Blackhorse Trail
Severn, MD

1 Inspection Visit Since 2024 · 4 Findings

Most recent inspection: Jan 13, 2026

● 4 Important

Across 1 inspection since 2024, the issues cited most often were Provider Did Not Have ER Plan During Time of Inspection. Please Submit Corrections by 11/27/2024 to OCC (2), 2 Children Are Missing Lead Test 2, 1 Child Needs Lead Test 1,2, 1 Child Is Missing Lead Test 1, 1 Child Is Missing H1 and Lead Test 1&2. Please Submit Your Corrections to OCC by 11/27/2024 (1), and Water exceedsm120 Degrees. Water Temp Was 135 During Time of Inspection (1). None of the 4 findings were critical.

Inspection Visits

Nov 20, 2024 4 Findings ● 4 Important

● 2 Children Are Missing Lead Test 2, 1 Child Needs Lead Test 1,2, 1 Child Is Missing Lead Test 1, 1 Child Is Missing H1 and Lead Test 1&2. Please Submit Your Corrections to OCC by 11/27/2024

13A.15.03.04C

● Water exceedsm120 Degrees. Water Temp Was 135 During Time of Inspection

13A.15.05.01E

● Provider Did Not Have ER Plan During Time of Inspection. Please Submit Corrections by 11/27/2024 to OCC

13A.15.10.01A(2)

● Provider Did Not Have ERplan During Time of Inspection. Submit to OCC by 11/27/2024

13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.