

Fouzia Johri

Park Mill Drive
Rockville, MD

2 Inspection Visits Since 2023 - 4 Findings

Most recent inspection: Oct 28, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were The Railings Leading to Back the Backyard Are Heavily Splintered and Need to Be Corrected. (2), Licensing Specialists Observed a Crib with a Very Loose Fitted Sheet, Provider Is Asked to Get a Tighter Fitted Sheet and Submit Proof via Email. (1), and Licensing Specialists Observed Air Freshener, Hand Sanitizer and Lotions That Are Accessible to the Children. Provider Is Asked to Move These Items and Submit Photographic Evidence via Email. (1). None of the 4 findings were critical.

Inspection Visits

Oct 28, 2025 1 Finding ● 1 Important

● **The Railings Leading to Back the Backyard Are Heavily Splintered and Need to Be Corrected.**

13A.15.05.05A

Oct 27, 2023 3 Findings ● 3 Important

● **In the Outdoor Play Area Licensing Specialists Observed Playing Equipment with Standing Water, Broken Parts, and Were Dirty. There Were Also Tree Branches Laying in the Yard as Well as a Broken Metal Broom Handle. Facility Is Asked to Clean Up and Submit Photographic Evidence via Email.**

13A.15.05.05A

● **Licensing Specialists Observed a Crib with a Very Loose Fitted Sheet, Provider Is Asked to Get a Tighter Fitted Sheet and Submit Proof via Email.**

13A.15.05.06F

● **Licensing Specialists Observed Air Freshener, Hand Sanitizer and Lotions That Are Accessible to the Children. Provider Is Asked to Move These Items and Submit Photographic Evidence via Email.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.