

Hiwote Swann

Proxmire Drive
Fort Washington, MD

1 Inspection Visit Since 2025 · 3 Findings

Most recent inspection: Oct 14, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were Observed No Evidence of Emergency Form Supplied by the Office of Child Care. (1), Ls Observed Children Using the Third Level of the Home an Unapproved Area by the Office of Childcare. LS Informed Provider to Only Use the Approved Areas for Childcare. Informed to Use Only the Approved Area and Discontinue Use of the Third Level Bathroom as Well. (1), and LS Observed the Barrier Used to Prevent Children to the Lower Level Missing and a Barrier on the Deck Exit Into the Back Yard (1). None of the 3 findings were critical.

Inspection Visits

Oct 14, 2025 3 Findings ● 3 Important

● **Observed No Evidence of Emergency Form Supplied by the Office of Child Care.**

13A.15.03.04A(1)

● **Ls Observed Children Using the Third Level of the Home an Unapproved Area by the Office of Childcare. LS Informed Provider to Only Use the Approved Areas for Childcare. Informed to Use Only the Approved Area and Discontinue Use of the Third Level Bathroom as Well.**

13A.15.05.04A(1)

● **LS Observed the Barrier Used to Prevent Children to the Lower Level Missing and a Barrier on the Deck Exit Into the Back Yard**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.