

Karla Thompson

Forest Glen Road
Lusby, MD

3 Inspection Visits Since 2023 · 11 Findings

Most recent inspection: Sep 26, 2025

● 11 Important

Across 3 inspections since 2023, the issues cited most often were The Provider Has Been Conducting Fire Drills and Emergency Disaster Drills on a Regular Basis, but During the Months That the Provider Conducted an Emergency Disaster Drill, She Did Not Conduct a Fire Drill. A Fire Drill Must Be Completed Every Month While a Disaster Drill Must Be Completed Twice A (3), The Provider's CPR and First Aid Certification Expired 09/02/2025. This Certification Must Remain Current at All Times. Please Take an Approved First Aid and CPR Class as Soon as Possible and Then Forward a Copy of Your Current Certification to OCC for the Correction of This Non-compliance. (2), and During the Inspection and Review of Children's Records, It Was Discovered That There Was No Evidence of the Provider Having Given the Parent the Information on How to Access the Consumer's Guide to Regulated Child Care. While There, the Provider Modified Her Handbook to Include the Link to the Pare (1). None of the 11 findings were critical.

Inspection Visits

Sep 26, 2025 8 Findings ● 8 Important

- **During the Inspection and Review of Children's Records, It Was Discovered That There Was No Evidence of the Provider Having Given the Parent the Information on How to Access the Consumer's Guide to Regulated Child Care. While There, the Provider Modified Her Handbook to Include the Link to the Pare**
13A.15.03.03E
- **The Provider Has Not Completed MSDE's 2024 Basic Health and Safety Update That Was Due No Later Than 12/31/2024. Please Complete This Training as Soon as Possible and Submit the Completed Training Certificate to OCC for the Correction of This Non-compliance.**
13A.15.03.03G
- **During a Review of Children's Records, It Was Found That the 1 Year 5 Month Old Boy and the 1 Year Old Girl Both Need Blood Lead Testing. The Same Boy Also Needs His Health Inventory Part I Completed, Signed and Dated by His Guardian and a Copy of His Updated Immunizations. He Is Missing Two DTP V**
13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **During Today's Inspection, the LS Was Made Aware That the Provider's Adult Son Moved Into the Home in July of This Year. The Provider Should Have Informed OCC of Her Son Moving Into the Home Within Five Business Days, Had Him Complete His Required Fingerprints and May Need OOS Clearances. He Shoul**
13A.15.03.05D(1)
- **During the Inspection, the Sheet in the Crib Was Observed to Be Loosely Fitting. The Crib Sheet Must Be Snugly Fitting as a Loose Fitting Sheet Could Be a Suffocation Hazard for the Child. Please Purchase a Snugly Fitting Sheet for Your Crib or Modify the Existing Sheet So That It Is Snugly Fittin**
13A.15.05.06A
- **The Provider's CPR and First Aid Certification Expired 09/02/2025. This Certification Must Remain Current at All Times. Please Take an Approved First Aid and CPR Class as Soon as Possible and Then Forward a Copy of Your Current Certification to OCC for the Correction of This Non-compliance.**
13A.15.06.02D(1)
- **The Provider Has Been Conducting Fire Drills and Emergency Disaster Drills on a Regular Basis, but During the Months That the Provider Conducted an Emergency Disaster Drill, She Did Not Conduct a Fire Drill. A Fire Drill Must Be Completed Every Month While a Disaster Drill Must Be Completed Twice A**
13A.15.10.01A(3)
- **The Provider's Emergency Disaster Plan Had Not Been Updated Since October of 2023. This Plan Must Be Reviewed, Updated as Needed, and Initialed and Dated, at Least, Yearly. During the Inspection. the Provider Reviewed the Plan, Initialed and Dated if Tor the Update. Therefore, This Non-compliance**
13A.15.10.01A(4)

Oct 2, 2024 1 Finding ● 1 Important

- **Provider Has Not Completed the 2023 Basic Health and Safety Update That Was Due by March 31, 2024. Please Complete the Course as Soon as Possible and Submit the Training Certificate to OCC for the Correction of This Non-compliance.**
13A.15.06.02B(1)

Oct 10, 2023 2 Findings ● 2 Important

- **Provider's CPR/First Aid Certification Expired 07/26/2023. Provider Must Maintain Current Certification in CPR and First Aid at All Times. Provider Did Not Renew Her CPR/First Aid Certification Until 09/02/2023, Resulting in This Non-compliance. However, Since the Provider Has Renewed Her CPR And**
13A.15.06.02D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Conducted Two Emergency Disaster Drills; One in 02/2023 and the Other in 05/2023. However, the Provider Did Not Conduct a Fire Drill During Those Months. A Fire Drill Must Be Conducted on a Monthly Basis Whether an Emergency Disaster Drill Is Conducted That Month or Not. They Are Separat**
13A.15.10.01A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.