

Saint Casimir Catholic School

South Kenwood Avenue
Baltimore, MD

2 Inspection Visits Since 2025 - 8 Findings

Most recent inspection: Mar 4, 2026

● 8 Important

Across 2 inspections since 2025, the issues cited most often were LS Observed No MSDE Medical Form for 1 Employee. (2), LS Observed 2 Out of 10 Children's Files That Were Missing the Physician's or Other Health Care Provider's Information on Their Emergency Forms. (1), and LS Observed Three Classrooms That Had an Overcapacity of 1 Child in Each Room. (1). None of the 8 findings were critical.

Inspection Visits

Mar 4, 2026 2 Findings ● 2 Important

● **LS Observed 2 Out of 10 Children's Files That Were Missing the Physician's or Other Health Care Provider's Information on Their Emergency Forms.**

13A.17.03.04C

● **LS Observed Three Classrooms That Had an Overcapacity of 1 Child in Each Room.**

13A.17.04.01B

Feb 18, 2025 6 Findings ● 6 Important

● **LS Observed the Girls and Boys Bathroom with No Running Hot Water.**

13A.17.05.07A

● **LS Observed No MSDE Medical Form for 1 Employee.**

13A.17.06.04A(1)

● **LS Observed Expired MSDE Medical Forms for 3 Individuals.**

13A.17.06.04A(4)

● **LS Observed the Programs First Aid Kit Was Missing the Following: Thick Gauze Pad, Ice Bag, Soap (Fragrance -Free), First Aid Tape, Washcloth, Tweezers, Triangular Bandages, Operable Flashlight.**

13A.17.10.02E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed a Screw Driver/tool Accessible to Children in Room 2. Corrected on Site. LS Observed Cleaning Products Accessible to Children in Room 1. Corrected on Site.**

13A.17.10.04A

- **LS Observed an Unplugged Electrical Socket in Room 1. Corrected on Site.**

13A.17.10.04F

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.