

# M'Mah Gueret Mpoko

Quail Woods Drive  
Germantown, MD

## 2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Apr 24, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Provider Did Not Complete the Health Annual 2024 Health and Safety Training. (2), Provider's Fire Permit Expired 3/31/2025. (1), and The Provider's Barrier in Front of the Second Level Steps Was Not in Place. (1). None of the 5 findings were critical.

## Inspection Visits

**Apr 24, 2025** 4 Findings ● 4 Important

● **Provider's Fire Permit Expired 3/31/2025.**

13A.15.02.03B(2)

● **The Provider's Barrier in Front of the Second Level Steps Was Not in Place.**

13A.15.05.04B(2)

● **Provider Did Not Complete the Health Annual 2024 Health and Safety Training.**

13A.15.06.02B(1)

● **Provider Was Missing Liquid Fragrance Free Soap.**

13A.15.10.01H(2)

**Apr 5, 2024** 1 Finding ● 1 Important

● **Provider Did Not Complete the Annual Health and Safety Training (1.5 Hrs) That Was Due by March 31, 2024,**

13A.15.06.02B(1)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.