

## Alicia Escoto

Prichard Rd  
Silver Spring, MD

### 1 Inspection Visit Since 2024 - 5 Findings

Most recent inspection: Apr 21, 2026

● 5 Important

Across 1 inspection since 2024, the issues cited most often were Licensing Specialist Observed Three Electrical Outlets That Weren't Capped in the Bedroom. The Provider Capped the Rooms During the Inspection. (2), Licensing Specialist Observed an Emergency Form That Was Missing the Annual Update. (1), and The Office Was Not Notified About the Change Is a Resident. The Resident Move Out of the Home on October 2023. (1). None of the 5 findings were critical.

### Inspection Visits

**Apr 2, 2024** 5 Findings ● 5 Important

- **Licensing Specialist Observed an Emergency Form That Was Missing the Annual Update.**  
13A.15.03.04A(3)
- **The Office Was Not Notified About the Change Is a Resident. The Resident Move Out of the Home on October 2023.**  
13A.15.03.05C(1)
- **Licensing Specialist Observed Three Electrical Outlets That Weren't Capped in the Bedroom. The Provider Capped the Rooms During the Inspection.**  
13A.15.05.04B(1)
- **The Gate That Leads to the First Floor Was Not Installed. The Provider Stated That It Had Been Removed, but Would Have It Replaced. The Provider Was Reminded That This Needs to Be Installed on the Day of the Inspection.**  
13A.15.05.04B(2)
- **Licensing Specialist Observed a Child Napping in the Bedroom That Next to the Bedroom. The Door Was Closed From the Entrance and Did Not Allow the Provider to See the Room From the Open Basement Area.**  
13A.15.08.01D(3)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.