

# Mia Jones

Westmont Court  
Waldorf, MD

## 1 Inspection Visit Since 2026 - 3 Findings

Most recent inspection: Apr 2, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were Two Emergency Forms Were Missing the Required Information. The Provider Is Advised to Review Children's Files and Ensure That All Children's Emergency Forms Are Completed and Contain the Required Information. The Provider Is Reminded to Maintain Emergency Information for All Children in Care. Please (1), There Were Two Electrical Sockets Uncapped in the Child Care Area. The Provider Capped the Electrical Sockets During the Inspection. Please Ensure That All Electrical Sockets Within Reach of Children Are Capped or Plugged. (1), and At the Time of the Inspection, the Specialist Noted That There Was Lysol Disinfectant Spray and a Air Freshener Within the Reach of Children. The Specialist Relocated These Items Making Them Inaccessible to the Children in Care. Please Ensure to Store All Potentially Harmful Items in Locations Which (1). None of the 3 findings were critical.

## Inspection Visits

**Feb 12, 2026** 3 Findings ● 3 Important

● **Two Emergency Forms Were Missing the Required Information. The Provider Is Advised to Review Children's Files and Ensure That All Children's Emergency Forms Are Completed and Contain the Required Information. The Provider Is Reminded to Maintain Emergency Information for All Children in Care. Please**

13A.15.03.04A(1)

● **There Were Two Electrical Sockets Uncapped in the Child Care Area. The Provider Capped the Electrical Sockets During the Inspection. Please Ensure That All Electrical Sockets Within Reach of Children Are Capped or Plugged.**

13A.15.05.04B(1)

● **At the Time of the Inspection, the Specialist Noted That There Was Lysol Disinfectant Spray and a Air Freshener Within the Reach of Children. The Specialist Relocated These Items Making Them Inaccessible to the Children in Care. Please Ensure to Store All Potentially Harmful Items in Locations Which**

13A.15.10.02

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.