

Bet Yeladim Preschool

State Route 108 Suite D
Columbia, MD

2 Inspection Visits Since 2025 - 13 Findings

Most recent inspection: May 19, 2026

● 13 Important

Across 2 inspections since 2025, the issues cited most often were From the Sample Reviewed, LS Did Not Observe Evidence of an Appropriate Lead Screening. Facility Must Immediately Submit Evidence of a Health Assessment Signed and Dated by the Child's Parent. (3), From the Sample Reviewed, LS Did Not Observe All of the Required Information on Each Child's Form Documented on the Most Current OCC Form. (2), and From the Sample Reviewed, LS Did Not Observe Evidence of a Written Agreement with Each Child's Parent. (1). None of the 13 findings were critical.

Inspection Visits

May 19, 2026 7 Findings ● 7 Important

- **From the Sample Reviewed, LS Did Not Observe Evidence of a Written Agreement with Each Child's Parent.**
13A.16.03.03D
- **From the Sample Reviewed, LS Did Not Observe All of the Required Information on Each Child's Form Documented on the Most Current OCC Form.**
13A.16.03.04C
- **From the Sample Reviewed, LS Did Not Observe Evidence of an Appropriate Lead Screening. Facility Must Immediately Submit Evidence of a Health Assessment Signed and Dated by the Child's Parent.**
13A.16.03.04D(1-2)
- **From the Sample Reviewed, LS Did Not Observe a Health Assessment for Each Child. Facility Must Immediately Submit Evidence of a Health Assessment or an Appointment with a Health Care Provider to Obtain a Medical Evaluation..**
13A.16.03.04D(3)
- **From the Sample Reviewed, LS Did Not Observe Evidence of an Appropriate Lead Screening. Facility Must Immediately Submit Evidence of Lead Testing or an Appointment with a Health Care Provider to Obtain a Lead Test.**
13A.16.03.04E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **From the Sample Reviewed, LS Did Not Observe Evidence of an Appropriate Lead Screening. Facility Must Immediately Submit Evidence of Immunizations or an Appointment with a Health Care Provider to Obtain Vaccinations.**

13A.16.03.04G

- **LS Did Not Observe Fragrance-free, Clear Liquid Soap in the First Aid Kit .Facility Must Immediately Submit Evidence of Having the Required Soap in the First Aid Kit.**

13A.16.10.02E

Jul 11, 2025 6 Findings ● 6 Important

- **LS Reviewed 24 Incomplete Emergency Forms. Thirteen Were Missing the Name, Address and or Phone Number of the Source of Healthcare, 20 Were Missing Annual Updates, One Was Missing the Allergy Information on the Back of the Form, and at Least 2 Were Missing the Child's Schedule.**

13A.16.03.04C

- **LS Reviewed 2 Children's Files That Were Missing the Health Assessments.**

13A.16.03.04D(1-2)

- **Staffing Patterns That Are Posted Are Not a Reflection of the Current Staffing.**

13A.16.03.05B

- **LS Observed Holes in the Wall and Peeling Paint in Rooms C and I and the Bathroom of Room E.**

13A.16.05.01A(1)

- **LS Observed a Sink Hole at the Emergency Gate and Planter Wood Barrier Around the Tree That Was Rotted .**

13A.16.05.12D

- **LS Reviewed One Staff File That Was Missing a Medical Evaluation.**

13A.16.06.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.