

Bolton Hill Nursery

W Lanvale Street
Baltimore, MD

3 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Feb 4, 2026

● 13 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed 8 Out of 10 Files That Needs Emergency Forms Updated. (2), LS Did Not Observe Any Staffing Patterns Posted in the Classrooms. (2), and LS Observed More Than 3 Medical Evaluations for Staff That Need to Be Updated. (2). None of the 13 findings were critical.

Inspection Visits

Feb 4, 2026 4 Findings ● 4 Important

● **LS Observed 8 Out of 10 Files That Needs Emergency Forms Updated.**

13A.16.03.04C

● **LS Did Not Observe Any Staffing Patterns Posted in the Classrooms.**

13A.16.03.05B

● **LS Observed More Than 3 Medical Evaluations for Staff That Need to Be Updated.**

13A.16.06.04A(4)

● **LS Observed Two Staff Files That Were Missing the Professional Development Plan and Continued Trainings.**

13A.16.06.09C

Jan 14, 2025 5 Findings ● 5 Important

● **Center Did Not Have Current Staffing Patterns.**

13A.16.03.05B

● **The Trash Cans in Rooms 101, 308, and Second Floor Children's Bathroom Did Not Have a Lid.**

13A.16.05.11D(2)

● **Center Did Not Have Proof of Medicals for One Staff Members.**

13A.16.06.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Center Did Not Have Proof of Annual Training for 3 Staff.**

13A.16.06.09C

- **LS Observed an Uncapped Electrical Outlet Box in Room 206.**

13A.16.10.04F

Jan 18, 2024 4 Findings ● 4 Important

- **Five Emergency Forms Are Missing the Person Authorized to Pick Up Children on a Daily Basis.**

13A.16.03.04C

- **Licensing Specialist Observed One Four Year Old Child in Room 101 (Threes). LS Also Observed Six Three Year Old Children in Room 204 (Twos).**

13A.16.03.07A

- **LS Did Not Observe Liquid Fragrance Free Soap, a Flashlight, Two Gauze Rolls, Safety Pins, a Thermometer, nor Wash Cloths in the First Aid Kit.**

13A.16.10.02E

- **LS Observed Tylenol Accessible to Children in Room 202. Corrected During Inspection. A Teacher Made the Tylenol Inaccessible to Children. Diapering Cream Was Accessible to Children in Room 307 and a Staff's Belongings Were Accessible to Children in Room 101.**

13A.16.10.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.