

# Abeba Belete

Hannes Court  
Silver Spring, MD

## 1 Inspection Visit Since 2024 - 9 Findings

Most recent inspection: Mar 7, 2025

● 9 Important

Across 1 inspection since 2024, the issues cited most often were Licensing Specialist Observed More Than One Emergency Form That Has Not Been Updated Annually (2), Licensing Specialist Observed Soiled Walls in the Child Care Area. All Areas of the Home Shall Be Maintained in a State of Cleanliness So as Not to Endanger the Children's Health. (2), and Licensing Specialist Observed the Children Did Wash Their Hands After Returning From the Outside Child Care Space. (2). None of the 9 findings were critical.

## Inspection Visits

**May 17, 2024** 9 Findings ● 9 Important

- **Licensing Specialist Observed More Than One Child in Care Without the Evidence of Appropriate Lead Screening Test.**  
13A.15.03.02B
- **Licensing Specialist Observed More Than One Emergency Form That Has Not Been Updated Annually**  
13A.15.03.04A(3)
- **Licensing Specialist Observed More Than One Emergency Form That Has Not Been Updated Annually.**  
13A.15.03.04A(3)
- **Licensing Specialist Observed Soiled Walls in the Child Care Area. All Areas of the Home Shall Be Maintained in a State of Cleanliness So as Not to Endanger the Children's Health.**  
13A.15.05.03A
- **Licensing Specialist Observed Soiled Walls in the Child Care Area. All Areas of the Home Shall Be Maintained in a State of Cleanliness So as Not to Endanger the Children's Health.**  
13A.15.05.03A
- **Licensing Specialist Observed the Children Did Wash Their Hands After Returning From the Outside Child Care Space.**  
13A.15.05.03D(2)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed the Children Did Wash Their Hands After Returning From the Outside Child Care Space.**  
13A.15.05.03D(2)
- **Licensing Specialist Observed an Area in the Outdoor Area That Is in Need of a Barrier to Protect the Children From Climbing the Up to the Upper Deck.**  
13A.15.05.05A
- **Licensing Specialist Observed an Area in the Outdoor Area That Is in Need of a Barrier to Protect the Children From Climbing the Up to the Upper Deck.**  
13A.15.05.05A

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.