

Curious George Learning Center

W Forest Park Avenue
Baltimore, MD

3 Inspection Visits Since 2025 - 11 Findings

Most recent inspection: Jan 8, 2026

● 11 Important

Across 3 inspections since 2025, the issues cited most often were The Center Did Not Have Proof of Lead Testing for 5 Children, No Proof of Part I for 2 Children, and No Part II for 4 Children. The Center Must Review All Child Records to Ensure Compliance. (1), The Center Did Not Have MSDE Medical Exams on File for All Staff. (1), and The Director Did Not Complete 12 Hours of Annual Training. LS Observed 11 Hours of Training. Proof of 1 Additional Hour Is Required. (1). None of the 11 findings were critical.

Inspection Visits

Jul 17, 2025 7 Findings ● 7 Important

● **The Center Did Not Have Proof of Lead Testing for 5 Children, No Proof of Part I for 2 Children, and No Part II for 4 Children. The Center Must Review All Child Records to Ensure Compliance.**

13A.16.03.02A

● **The Center Did Not Have MSDE Medical Exams on File for All Staff.**

13A.16.06.04A(1)

● **The Director Did Not Complete 12 Hours of Annual Training. LS Observed 11 Hours of Training. Proof of 1 Additional Hour Is Required.**

13A.16.06.05C(1)

● **A Child Care Teacher Did Not Complete 12 Hours of Annual Training. Observed 11 Hours, Needs Proof of 1 Additional Hour.**

13A.16.06.09C

● **4 Aide Staff Members Need 1 Additional Hour of Training and 1 Aide Needs Proof of 2 Hours of Training.**

13A.16.06.12B(1)

● **The Center Did Not Have Written Activity Plans for Infants and Toddlers.**

13A.16.09.02C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

● **The First Aid Supply Did Not Have 2 Gauze Rolls.**

13A.16.10.02E

Jul 2, 2025 1 Finding ● 1 Important

● **LS Observed 1 Walker in the Infant Classroom. The Noncompliance Was Corrected on Site.**

13A.16.09.05B

Apr 29, 2025 3 Findings ● 3 Important

● **The Center Did Not Maintain a Fully Completed Staff Personell List.**

13A.16.03.05A

● **The Center Did Not Have Proof of Release of Information Forms for 3 Staff Members/residents.**

13A.16.03.06A(1)

● **Observed Cleaning Products in the Bathroom in a Unlocked Cabinet. Observed a Unlocked Bucket in the Play Yard with Tools Inside. The Non Compliance Was Corrected During the Inspection.**

13A.16.10.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.