

Lifehouse Learning Center

East Wilson Boulevard
Hagerstown, MD

4 Inspection Visits Since 2024 · 7 Findings

Most recent inspection: May 14, 2026

● 7 Important

Across 4 inspections since 2024, the issues cited most often were Center Staff Did Not Notify Parent of an Injury to Her Child. The Parent Came Back Into the Center to Discuss It After She Noticed the Injury in the Car. Center Staff Did Discuss the Injury at That Time and Provided the Parent with an Incident Report on Her Next Day of Attendance. (1), The Center Reported a Staff Person Behaved in a Way That Caused Injurious Treatment to a Child in Care. (1), and The Center Reported That a Staff Member Was Trying to Get a Child to Nap and Was Doing It in a Manner That Wasn't Consistent with Their Discipline Policy. (1). None of the 7 findings were critical.

Inspection Visits

May 14, 2026 1 Finding ● 1 Important

- **Center Staff Did Not Notify Parent of an Injury to Her Child. The Parent Came Back Into the Center to Discuss It After She Noticed the Injury in the Car. Center Staff Did Discuss the Injury at That Time and Provided the Parent with an Incident Report on Her Next Day of Attendance.**

13A.16.03.06D(2)

Mar 24, 2026 3 Findings ● 3 Important

- **The Center Reported a Staff Person Behaved in a Way That Caused Injurious Treatment to a Child in Care.**
- **The Center Reported That a Staff Member Was Trying to Get a Child to Nap and Was Doing It in a Manner That Wasn't Consistent with Their Discipline Policy.**

13A.16.07.01

13A.16.07.03A(2)

- **The Center Failed to Ensure the Security of All Children in Care.**

13A.16.07.06A

Dec 15, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **One Child Was Missing the Lead Verification. Facility Will Send Verification to OCC.**
13A.16.03.02E

Aug 20, 2024 2 Findings ● 2 Important

- **A Preschool Teacher Was in the School Age Room with 6 School Aged Children. The Last Day of the Program Is Friday as the Children Will Be Going Back to School.**
13A.16.08.02B
- **Room B3 Had 13 Children with 6 Two Year Olds in the Group. The Capacity of the Room Is Also 12 Since It Is a Two Year Old Classroom. One Child Was Supposed to Be Moved Out of the Classroom Into a 3 Year Old Room. She Was Moved at the Time of Inspection to Correct the Non-compliance.**
13A.16.08.03C(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.