

Terry Rossbach

Markham Lane
Pasadena, MD

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: May 20, 2026

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Licensing Did Not Observe Evidence of Blood Lead Testing for Two Children, and Another Child Missing Their Second Blood Lead Test. (2), Provider Is Unable to Locate Fire Drill Logs. (1), and The Emergency Forms for Two Children Were Not Updated in the Last 12 Months. (1). None of the 5 findings were critical.

Inspection Visits

May 20, 2026 1 Finding ● 1 Important

- **Licensing Did Not Observe Evidence of Blood Lead Testing for Two Children, and Another Child Missing Their Second Blood Lead Test.**

13A.15.03.04C

Feb 21, 2024 4 Findings ● 4 Important

- **Provider Is Unable to Locate Fire Drill Logs.**

13A.15.03.03F

- **The Emergency Forms for Two Children Were Not Updated in the Last 12 Months.**

13A.15.03.04A(3)

- **Three Children's Files Do Not Have the Required Lead Test Results.**

13A.15.03.04C

- **Provider Advised That She Has Not Yet Conducted a Fire or Disaster Drill During the 2024 Calendar Year.**

13A.15.10.01A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.