

AlphaBEST@Ardmore Elementary

Ardwick Ardmore Road
Springdale, MD

2 Inspection Visits Since 2024 · 11 Findings

Most recent inspection: Jan 21, 2026

● 11 Important

Across 2 inspections since 2024, the issues cited most often were LS Did Not Observe the Emergency Escape Plan Posted. (2), Unable to Ascertain Any Records for DR and Enrolled Child at This Site. (1), and Per Director the Child Emergency Card Information Can Not Be Given to the Licensing Specialist 12/1/2025. This Is a Confidential and Legal Document Which Can Not Be Shared. (1). None of the 11 findings were critical.

Inspection Visits

Dec 1, 2025 8 Findings ● 8 Important

● **Unable to Ascertain Any Records for DR and Enrolled Child at This Site.**

13A.16.03.04A

● **Per Director the Child Emergency Card Information Can Not Be Given to the Licensing Specialist 12/1/2025. This Is a Confidential and Legal Document Which Can Not Be Shared.**

13A.16.03.04C

● **Licensing Specialist Was Unable to Ascertain if Evidence of a Record on File of the Injury at the Site.**

13A.16.03.04I(2)

● **The Center Is Using the Stage of the Multipurpose Room as a Calming Area for Children Who Do Not Want to Participate in Activities or Need a Quiet Time. The Stage Is Located at the Front of the Multipurpose Room Children Have to Walk Up Three Steps Up the Stage. This Section Has a Table, Chairs, An**

13A.16.05.01A(2)

● **Although Staff Was Present, the Safety and Security of the Child Was Not Maintained Because Children Were allowed in an Unapproved Area and Accessibility Was Limited .**

13A.16.07.06A

● **An Area in the Facility Was Used Without Approval by the Office of Childcare. The Stage Is Not an Approved Area for Child Care Services.**

13A.16.07.06B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Children in the Unapproved Area Where the Injury Occurred Were Not Being Properly Supervised. Although the Staff Saw the Incident Occur, Adequate and Proper Supervision Was Not Maintained.**

13A.16.08.01A(2)(a)

- **Activity Materials Must Be Easily Accessible to Children and the Items in the Basket Were Not Accessible for Each Child.**

13A.16.09.03B(3)

Mar 6, 2024 3 Findings ● 3 Important

- **LS Did Not Observe Part 2 of the Health Assessment for 4 Children.**

13A.16.03.04D(3)

- **LS Did Not Observe the Emergency Escape Plan Posted.**

13A.16.10.01A(4)

- **LS Did Not Observe the Emergency Escape Plan Posted.**

13A.16.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.