

Debra Shipley

Susquehanna Court
Sykesville, MD

3 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Sep 4, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were The Table Part of the Plastic Picnic Table Was Split at the Seam. (1), There Was a Can of Lysol Under the Cabinet in the Bathroom. The Cabinet Was Not Locked. The Substitute Removed the Lysol From the Cabinet and Placed It in an Area That Is Inaccessible to Children in Care During the Inspection. (1), and There Was an Individual That Had a Pending Criminal Traffic Charge Against Him and the Office of Child Care Was Not Notified Immediately. (1). None of the 4 findings were critical.

Inspection Visits

Sep 16, 2024 2 Findings ● 2 Important

● The Table Part of the Plastic Picnic Table Was Split at the Seam.

13A.15.09.02A(1)

● There Was a Can of Lysol Under the Cabinet in the Bathroom. The Cabinet Was Not Locked. The Substitute Removed the Lysol From the Cabinet and Placed It in an Area That Is Inaccessible to Children in Care During the Inspection.

13A.15.10.02

Nov 9, 2023 1 Finding ● 1 Important

● There Was an Individual That Had a Pending Criminal Traffic Charge Against Him and the Office of Child Care Was Not Notified Immediately.

13A.15.03.05C(2)(a)

Oct 3, 2023 1 Finding ● 1 Important

● One Port-a-crib Did Not Have a Tight Fitting Sheet. Provider Had a Correct Fitting Sheet and Changed It During the Inspection.

13A.15.05.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.