

Denton Child Development Center

South Fourth Street
Denton, MD

3 Inspection Visits Since 2024 · 7 Findings

Most recent inspection: May 27, 2026

● 7 Important

Across 3 inspections since 2024, the issues cited most often were Children Were Sent Into the Facility to Use the Restroom and Were Not Supervised. (2), The Staff Did Not Follow the Centers Name to Face Procedure Upon Returning to the School After Walking Down the Street to the Church. This Was Implemented After a Child Was Left Out on the Playground. (1), and Provider Did Not Have Permission Slips to Walk Down the Street to the Local Church. (1). None of the 7 findings were critical.

Inspection Visits

Jun 10, 2025 3 Findings ● 3 Important

- **The Staff Did Not Follow the Centers Name to Face Procedure Upon Returning to the School After Walking Down the Street to the Church. This Was Implemented After a Child Was Left Out on the Playground.**

13A.16.03.03B(1)

- **Provider Did Not Have Permission Slips to Walk Down the Street to the Local Church.**

13A.16.03.04I(5)

- **Children's Bathroom Does Not Have Lighting. The Lighting Was Broken During a Flood Incident in January. Currently a Strip Light Has Been Hung Up for the Children.**

13A.16.05.09A

Nov 21, 2024 1 Finding ● 1 Important

- **Children Were Sent Into the Facility to Use the Restroom and Were Not Supervised.**

13A.16.08.01A(2)(b)

Aug 20, 2024 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Staff Members Failed to Ensure All Children Were Brought Inside From the Playground. Child Was Left Outside in the Gated Playground Area for Approximately 10 Minutes.**

13A.16.07.06A

- **A Child Was Left Outside on the Gated Playground Unattended. Staff Member Returned to Work After Her Break and Spotted the Child Outside of the Classroom Door.**

13A.16.08.01A(2)(b)

- **A Child Was Left Outside Unattended.**

13A.16.08.01B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.