

Celebree Clubhouse in Hampstead

2319-A Hanover Pike
Hampstead, MD

3 Inspection Visits Since 2023 · 11 Findings

Most recent inspection: Sep 10, 2025

● 11 Important

Across 3 inspections since 2023, the issues cited most often were There Was a File That Did Not Contain Documentation of the Basic Health and Safety. The Aide Was Hired on 12/202/2024. (1), The License Was Not Posted. (1), and There Was a File That Did Not Contain an Emergency Form. There Were Two Emergency Forms That Were Not Updated. (1). None of the 11 findings were critical.

Inspection Visits

Sep 10, 2025 1 Finding ● 1 Important

- **There Was a File That Did Not Contain Documentation of the Basic Health and Safety. The Aide Was Hired on 12/202/2024.**

13A.16.06.12A(3)

Sep 25, 2024 8 Findings ● 8 Important

- **The License Was Not Posted.**
13A.16.02.01E
- **There Was a File That Did Not Contain an Emergency Form. There Were Two Emergency Forms That Were Not Updated.**
13A.16.03.04C
- **The Staffing Pattern That Was Posted Is Dated 6/17/2024. The Staff That Was Present When the LS Arrived Was Not Listed on the Staffing Pattern.**
13A.16.03.05B
- **The Staff Bathroom Did Not Have Toilet Paper.**
13A.16.05.08I
- **There Was a File That Did Not Contain Documentation of a Staff Orientation.**
13A.16.06.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

● **The First Aid Kit Did Not Contain Paper Towels.**

13A.16.10.02E

● **There Was a Container of Lysol Wipes on a Counter and a Metal Rake on the Stairs Leading Up to the Loft. The Director Placed the Items in an Area That Is Not Accessible to Children in Care.**

13A.16.10.04A

● **The Thermometer in the Refrigerator Was at 55 Degrees Fahrenheit.**

13A.16.12.05C(2)

Aug 10, 2023 2 Findings ● 2 Important

● **The Staff Did Not Protect the Safety and Security of All of the Children at All Times.**

13A.16.07.06A

● **There Was Inadequate Supervision to Prevent Inappropriate Interactions Between Children Over Multiple Episodes and Locations.**

13A.16.08.01A(2)(b)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.