

# Butler Montessori

Germantown Rd  
Germantown, MD

## 2 Inspection Visits Since 2024 - 7 Findings

Most recent inspection: Mar 26, 2025

● 7 Important

Across 2 inspections since 2024, the issues cited most often were Some Children Were Missing Evidence of Lead Screening. (1), The Pool Was Not Locked at Time of Inspection.

Corrected on Site. (1), and The Director Was Missing Their Annual BHS Training. (1). None of the 7 findings were critical.

## Inspection Visits

**Mar 26, 2025** 2 Findings ● 2 Important

● **Some Children Were Missing Evidence of Lead Screening.**  
13A.16.03.04E

● **The Pool Was Not Locked at Time of Inspection.**

**Corrected on Site.**  
13A.16.05.13B

**Apr 12, 2024** 5 Findings ● 5 Important

● **The Director Was Missing Their Annual BHS Training.**  
13A.16.06.05C(3)

● **Some Employees Were Missing Their Health and Safety Training.**  
13A.16.06.09C

● **Some Aides Were Missing Their BHS Training,**  
13A.16.06.12A(3)

● **Some Aides Were Missing Their Annual BHS Training.**  
13A.16.06.12B(3)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

● **Some Aides Were Missing the Aide Orientation Training.**

13A.16.06.12C

**About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.