

April Grierson

Scaggs Road
Owings, MD

3 Inspection Visits Since 2023 · 6 Findings

Most recent inspection: May 23, 2025

● 6 Important

Across 3 inspections since 2023, the issues cited most often were Provider's 1st Aid and CPR Certification Expired in December 2024. Provider Completed a 1st Aid and CPR Training in March 2025. This Has Been Corrected. Provider Is Reminded 1st Aid and CPR Certification Is to Be Current at All Times. (1), During Inspection Today, One Infant Was Missing All Parts of the Health Inventory Form and an Updated Immunization Record. Please Obtain These Items From Parents and Add to Children's Files. Please Send Copies to Licensing Specialist. (1), and During Inspection Today, a 13 Month Old and One 2 Year Old Child Were Missing Lead Blood Test Results. Please Obtain From Parent and Add to Children's Files. Please Send Copy to Licensing Specialist. (1). None of the 6 findings were critical.

Inspection Visits

May 23, 2025 1 Finding ● 1 Important

- **Provider's 1st Aid and CPR Certification Expired in December 2024. Provider Completed a 1st Aid and CPR Training in March 2025. This Has Been Corrected. Provider Is Reminded 1st Aid and CPR Certification Is to Be Current at All Times.**

13A.15.06.02D(1)

Aug 29, 2024 4 Findings ● 4 Important

- **During Inspection Today, One Infant Was Missing All Parts of the Health Inventory Form and an Updated Immunization Record. Please Obtain These Items From Parents and Add to Children's Files. Please Send Copies to Licensing Specialist.**

13A.15.03.02A

- **During Inspection Today, a 13 Month Old and One 2 Year Old Child Were Missing Lead Blood Test Results. Please Obtain From Parent and Add to Children's Files. Please Send Copy to Licensing Specialist.**

13A.15.03.02B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Did Not Complete the Required, Annual Basic Health and Safety Training Update, Which Was Due by 3-31-24. Licensing Specialist Will Send the Link to Provider for Completion. Once the Training Is Complete, Please Print and Send a Copy of the Certificate to Licensing Specialist.**

13A.15.06.02B(1)

- **When LS Arrived at Provider's Home, the Provider Was in the Garage Child Care Area with 2 Children.- Provider Stated There Was an Infant in the Basement Child Care Area, Who She Had Just Put Down for a Nap. LS Explained That All Napping Children Under 2 Years Old Should Be Within Sight and Sound A**

13A.15.08.01D(1)(a)

Aug 29, 2023 1 Finding ● 1 Important

- **During Inspection, Licensing Specialist Observed Cleaning Supplies in the Drawer Under the Sink and Sunscreen and Bug Spray in the Cabinet Next to the Sink. These Items Are Potential Hazards and Should Be Relocated to an Area That Is Inaccessible to Children or the Drawer and Cabinet Should Be Lock**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.