

Celebree Learning Center - Eldersburg

Georgetown Boulevard
Eldersburg, MD

2 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: May 6, 2026

● 14 Important

Across 2 inspections since 2025, the issues cited most often were There Was One Emergency Form That Was Missing the Physician's Name, Address and Telephone Number. There Was an Emergency Form That Was Missing the Address and the Telephone Number of the Physician. This Emergency Form Was Corrected at the Inspection. (2), There Were Five Files That Did Not Have the Lead Screening and the Children Are in Care. (1), and Five Files Did Not Have Documentation of the Lead Screening. (1). None of the 14 findings were critical.

Inspection Visits

May 6, 2026 9 Findings ● 9 Important

- **There Were Five Files That Did Not Have the Lead Screening and the Children Are in Care.**
13A.16.03.02E
- **There Was One Emergency Form That Was Missing the Physician's Name, Address and Telephone Number. There Was an Emergency Form That Was Missing the Address and the Telephone Number of the Physician. This Emergency Form Was Corrected at the Inspection.**
13A.16.03.04C
- **Five Files Did Not Have Documentation of the Lead Screening.**
13A.16.03.04E
- **One of the School Age Bathroom Stalls Did Not Have Toilet Paper. Toilet Paper Was Placed in the Bathroom During the Inspection. Dish Soap Was Being Used in One of the Bathrooms. Hand Soap Was Placed in the Bathroom During the Inspection.**
13A.16.05.08I
- **There Was a Trash Can That Did Not Have a Disposable Liner. A Disposable Liner Was Placed in the Trashcan During the Inspection.**
13A.16.05.11D(1)
- **There Was a File That Did Not Have Documentation of the 2025 Basic Health and Safety Update.**
13A.16.06.09C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **There Was a Crib Mattress That Had a Loose Fitting Crib Sheet. A Tight Fitting Crib Sheet Was Placed on the Mattress During the Inspection.**

13A.16.09.04A(4)(a)

- **There Was a Rug That Did Not Have Backing on It to Secure It to the Floor. The Rug Was Slippery and Was a Slipping Hazard. The Rug Was Removed During the Inspection. There Were Two Classrooms That Had Plastic Bags in an Unlocked Drawer. The Bags Were Accessible to Children. The Bags Were Removed**

13A.16.10.04A

- **There Was a Medication Administration Form That Did Not Have the Parents Signature and Date.**

13A.16.11.04A(1)(a)

May 20, 2025 5 Findings ● 5 Important

- **There Was an Emergency Form That Did Not Have the Telephone Number of the Physician . There Was an Emergency Form That Did Not Have the Address of the Physician.**

13A.16.03.04C

- **There Was a Staff Member That Did Not Complete Her Basic Health and Safety. She Was Hired in January of 2025.**

13A.16.06.12A(3)

- **A Staff Member in Care Did Not Give Adequate Supervision and Care to a Child in Care.**

13A.16.08.01A(2)(b)

- **The Daily Schedule Was Not Posted for the Pre-K S. The Schedule Was Posted During the Inspection..**

13A.16.09.01A(1)

- **There Were Four Infant/toddler Activity Plans That Were More Than Three Months Old.**

13A.16.09.02C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.