

Carrie Newsome

Prescott Court
Waldorf, MD

2 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: May 18, 2026

● 14 Important

Across 2 inspections since 2025, the issues cited most often were There Is One Child in Care Whose Emergency Form Is Missing the Doctor's Contact Information. There Is One Child in Care Whose Emergency Form Is Missing a Daily Authorized Pick Up Person Listed on the Emergency Form. Please Have the Parents Complete These Sections and Send a Copy to the OCC. (3), There Is One Child in Care Who Is Missing Evidence of a Second Dose of the MMR Vaccine. Please Obtain This Documentation and Submit a Copy to the OCC. (2), and There Are 4 Children in Care Whose Files Do Not Contain Evidence of a Lead Blood Test. Please Have the Parents Obtain This Information and Send a Copy to the OCC. (2). None of the 14 findings were critical.

Inspection Visits

May 18, 2026 5 Findings ● 5 Important

- **There Is One Child in Care Who Is Missing Evidence of a Second Dose of the MMR Vaccine. Please Obtain This Documentation and Submit a Copy to the OCC.**

13A.15.03.02A

- **There Are 4 Children in Care Whose Files Do Not Contain Evidence of a Lead Blood Test. Please Have the Parents Obtain This Information and Send a Copy to the OCC.**

13A.15.03.02B

- **There Is One Child in Care Whose Emergency Form Is Missing the Doctor's Contact Information. There Is One Child in Care Whose Emergency Form Is Missing a Daily Authorized Pick Up Person Listed on the Emergency Form. Please Have the Parents Complete These Sections and Send a Copy to the OCC.**

13A.15.03.04A(1)

- **There Are 8 Children in Care Whose Emergency Forms Need to Be Updated. Please Have the Parents Review, Make Changes as Needed, Initial, and Date the Emergency Forms and Send a Copy to the OCC.**

13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Has an Above Ground Pool Surrounded by a Deck. The Gate to the Pool Is Closed and Locked - When the Licensing Specialist Unlocked and Opened the Gate, the Gate Would Not Self Close or Self Latch Properly. The Two Side Gates to the Deck Steps Are Also Not Self Closing or Self Latching Pr**

13A.15.05.05C

Jun 2, 2025 9 Findings ● 9 Important

- **There Is One Child Who Is Missing Updated Immunizations. Please Ensure That the Parents Obtain a Copy of the Updated Immunizations for the Child's File.**

13A.15.03.02A

- **There Is One Child Who Is 2 Years Old Who Does Not Have Evidence of Lead Blood Testing in Her File. Please Have the Parents Obtain This Information.**

13A.15.03.02B

- **The Provider Does Not Have Parents Sign the Children in and Out, as the Provider Does It, and Does Not Have the Parents Verify the Attendance Record. The Provider Is Advised to Have Parents Sign or Initial Verifying the Children's Attendance.**

13A.15.03.03B

- **There Is One Child Enrolled Whose Emergency Form Does Not Have at Least One Emergency Contact Person Listed. Please Ensure the Parent Lists at Least One Emergency Contact Person and Their Contact Information in the Event That a Parent Can Not Be Reached.**

13A.15.03.04A(1)

- **The Provider Has Several Open Litter Boxes in the Living Room on the Main Floor of the Home. The Provider Indicates That the Children Spend Most of Their Day Downstairs in the Basement Playroom. The Provider Uses the Dining Room on the Main Floor for Eating and Play. The Provider Uses the Living Roo**

13A.15.05.03A

- **There Are Several Outlets in the Basement That Are Not Capped. Please Ensure That All Outlets That Are Accessible to the Children in the Child Care Areas Are Capped at All Times.**

13A.15.05.04B(1)

- **The Provider Does Not Have a Door Knob Cover on the Door at the Top of the Basements Steps. The Provider Is Advised to Place a Door Knob Cover on That Door Knob to Prevent Children From Accessing the Basement Stairs.**

13A.15.05.04B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Has an Above Ground Pool That Is Surrounded by a Deck with Railing. The Pool Deck Is Separated From the Rest of the Back Deck. There Is an Access Gate to the Pool From the Back Deck That Is Locked. The Licensing Specialist Unlocked the Padlock with a Key and Tested the Gate. The Gate Is**

13A.15.05.05C

- **The Provider Did Not Complete the 2024 Annual Update. The Provider Is Advised to Complete This Training and Submit the Certificate as Soon as Possible.**

13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.