

Melanna Luckie-Mills

Lusbys Lane
Brandywine, MD

2 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Sep 29, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were LS Conducted Full Inspection on 09/29/2025. LS Observed That Two Children Did Not Have Annual Update Signed for This Year (2), LS Observed One Child Missing the Approved Lead Screening or Test. (1), and LS Did Not Observe Any Evidence of a Fire Drill or Disaster Drill Practiced with Children at Least Once per Month or Twice per Year for Other Emergency and Disaster Situations. (1). None of the 4 findings were critical.

Inspection Visits

Sep 29, 2025 1 Finding ● 1 Important

- **LS Conducted Full Inspection on 09/29/2025. LS Observed That Two Children Did Not Have Annual Update Signed for This Year**

13A.15.03.04A(3)

Jun 22, 2023 3 Findings ● 3 Important

- **LS Observed One Child Missing the Approved Lead Screening or Test.**

13A.15.03.02B

- **LS Observed One Child Missing Their Annual Update Signed and Dated by a Parent.**

13A.15.03.04A(3)

- **LS Did Not Observe Any Evidence of a Fire Drill or Disaster Drill Practiced with Children at Least Once per Month or Twice per Year for Other Emergency and Disaster Situations.**

13A.15.10.01A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.