

Manju Shore

Marianna Dr
Rockville, MD

2 Inspection Visits Since 2023 - 10 Findings

Most recent inspection: Sep 10, 2025

● 10 Important

Across 2 inspections since 2023, the issues cited most often were The Licensing Specialist Observed No Evidence of the Updated Medical Reports, Releases of Information, and the Fire Permit. (2), Licensing Specialist Observed Children's Form That Were Missing Child's the Child's Physician Information and Appropriate Lead Test for 4 Children in Care. (2), and The Provider Showed an Email That She Can Completed the First Aid and CPR Training. However, She Could Not Locate the Certificate. (1). None of the 10 findings were critical.

Inspection Visits

Sep 10, 2025 3 Findings ● 3 Important

● **The Licensing Specialist Observed No Evidence of the Updated Medical Reports, Releases of Information, and the Fire Permit.**

13A.15.02.03B(2)

● **Licensing Specialist Observed Children's Form That Were Missing Child's the Child's Physician Information and Appropriate Lead Test for 4 Children in Care.**

13A.15.03.04C

● **The Provider Showed an Email That She Can Completed the First Aid and CPR Training. However, She Could Not Locate the Certificate.**

13A.15.06.02D(1)

Jul 27, 2023 7 Findings ● 7 Important

● **The OCC Requires the Following Items to Be Submitted: CBC, Release of Information, Medical, and Substitute Form for Katherine Fitzgerald. Copies of Release of Information and Medical Forms for Manju and Raju. A Current Fire Certificate, Provider States an Inspection Was Done on May 25th of This Year**

13A.15.02.03B(2)

● **Licensing Specialist Did Not Observe the Consumer Pamphlet Posted During the Inspection.**

13A.15.03.03E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed 2 Instances of Emergency Forms Needing Annual Updates, 4 Instances of Incomplete Lead Forms, 1 Unsigned Emergency Card, and 1 Instance of a Missing Health Inventory Part I and II. Provider Is Asked to Review All of the Children's Files and Have the Forms Updated as Need**
13A.15.03.04C
- **Licensing Specialist Observed That the Gaps Between the Bars on the Fence of the Outdoor Play Area Were Wide Enough to Be a Potential Entrapment Hazard. Provider Is Asked to Place a Barrier to Prevent the Children From Sticking Their Body Parts Through the Gaps.**
13A.15.05.05A
- **Licensing Specialist Observed That There Is Only One Designated Outside Time on the Written Schedule From 11:02am to 11:45am. Provider Is Asked to Amend the Written Schedule to Have 2 Outside Times in the Morning an Afternoon.**
13A.15.09.01A
- **Licensing Specialist Observed That the Written Emergency and Disaster Plan Has Only Been Partially Filled Out. Provider Is Asked to Fill Out the Plan in Its Entirety and Sign Off on an Annual Update.**
13A.15.10.01A(1)
- **Licensing Specialist Observed That the First Aid Kit Was Missing the Following Items: A Functioning Flashlight, 2 Flexible Gauze Rolls, Paper Towels, and Fragrance Free Liquid Soap. Provider Did Have Foam Soap in the Kit. The Provider Added a Flashlight and Paper Towels During the Inspection. They S**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.