

Rabia Ali

Ballenger Run Blvd.
Frederick, MD

2 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Oct 1, 2025

- 5 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed No Evidence of Liquid Fragrance Free Soap in the First Aid Kit. Provider to Submit Photographic Evidence That Liquid, Fragrance Free Soap Has Been Obtained and Is Accessible in the First Aid Kit. (2), LS Observed No Evidence of One (1) Child's Lead Screening Information. Provider to Submit a Written Statement Verifying That the Lead Screening Information Has Been Obtained and Is Accessible in the Child Files. (1), and LS Observed Electrical Sockets That Were Not Plugged or Capped. Provider to Submit Photographic Evidence That All Sockets Have Been Covered. (1). None of the 5 findings were critical.

Inspection Visits

Oct 1, 2025 2 Findings ● 2 Important

- **LS Observed No Evidence of One (1) Child's Lead Screening Information. Provider to Submit a Written Statement Verifying That the Lead Screening Information Has Been Obtained and Is Accessible in the Child Files.**

13A.15.03.02B

- **LS Observed No Evidence of Liquid Fragrance Free Soap in the First Aid Kit. Provider to Submit Photographic Evidence That Liquid, Fragrance Free Soap Has Been Obtained and Is Accessible in the First Aid Kit.**

13A.15.10.01H(1)

Sep 15, 2023 3 Findings ● 3 Important

- **LS Observed Electrical Sockets That Were Not Plugged or Capped. Provider to Submit Photographic Evidence That All Sockets Have Been Covered.**

13A.15.05.04B(1)

- **LS Observed an Emergency Preparedness Plan That Had Not Been Updated Annually. Provider Reviewed and Updated at the Time of the Inspection.**

13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed the First Aid Kit That Was Missing Clear, Liquid, Fragrance Free Soap. Provider to Submit Photographic Evidence That the Item Has Been Placed in the First Aid Kit.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.